



FORM LS-1A/एचए - एलएस-1क
(See Rules 60, 61, 64 and 66)(नियम 60, 61, 64 और 66 देखें)
Licence to Store Compressed gas in pressure vessel or vessels
दाब पात्र या पात्रों में संपीड़ित गैस भण्डारण के लिए अनुमति

19
174

अनुमति सं./Licence No. S/EC/MG/03/1(S96518)

Licence is hereby granted to NORTH EASTERN INDIRA GANDHI REGIONAL INSTITUTE OF HEALTH & MEDICAL SCIENCES,(NEIGRIHMS), SURVEY No.- 83-0/140, VILLAGE MAWDIANG DIANG, CITY MAWDIANG DIANG,SHILLONG, Taluka: NEIGRIHMS, District: EAST KHASI HILLS, State: Meghalaya PIN: 793018 valid only for the storage of compressed gas in 1 Number(s) of pressure vessels as indicated below in the licensed premises described below and shown in the plan No.S/EC/MG/03/1(S96518) dated 12/02/2020 subject to the provisions of the Indian Explosives Act, 1884 (4 of 1884) and the rules made thereunder and to the further conditions of this licence. CITY MAWDIANG DIANG,SHILLONG, Taluka: NEIGRIHMS, District: EAST KHASI HILLS, State: Meghalaya PIN: 793018 को नीचे वर्णित अनुमत्त परिसर में और रेखांकन संख्या S/EC/MG/03/1(S96518) dated 12/02/2020 में भारतीय विस्फोटक अधिनियम, 1884 (1884 का 4) और उसके अधीन बनाए गए नियमों तथा इन अनुमति की अन्य शर्तों पर 1 दाब पात्र / पात्रों में संपीड़ित गैस के भण्डारण के लिए अनुमति मंजूर की जाती है। यह अनुमति 30 सितंबर 2020 तक प्रवृत्त रहेगी। The Licence shall remain in force till the 30th September 2020.

फीस हफ्ता/Fee Rs. 17600/- per year/प्रति वर्ष

Vessel No./वैसल नंबर	Name of Gas/गैस का नाम	State of Gas/गैस की स्थिति	Water Capacity in cubic meter/जल क्षमता (घ.मी.)	Max. working Pre. (kg/cm ²)/अधिकतम वर्किंग प्रेशर	Quantity Granted in kgs(Liquidified gas)/किलोग्राम में जारी मात्रा (लिक्विफाईड गैस)
18T2258	LIQUID OXYGEN	Liquidified	9.67	17.488	9934
Total Water capacity			9.67		

February 12, 2020

For Jt. Chief Controller of Explosives
EC, Kolkata
कोलकाता मुख्य विस्फोटक नियंत्रक
वर्ध

DESCRIPTION AND LOCATION OF THE LICENSED PREMISES/अनुमत्त परिसर का विवरण और अवस्थिति

The licensed premises, the layout boundaries and other particulars of which are shown in the attached approved plan No. S/EC/MG/03/1 dated 12/02/2020 are situated at Shillong MAWDIANG DIANG and consists of 1 Number(s) vessel(s) for storage of /अनुमत्त परिसर, पट्टीगत सीमा और अन्य विवरण जो संलग्न अनुमोदित रेखांकन सं. S/EC/MG/03/1 दिनांक 12/02/2020 में दर्शाए गए हैं।
a) Flammable/Corrosive/Toxic Gases /ज्वलनशील / संक्षारक / विषैली गैसें
b) Non-Toxic Gases /अविषैली गैसें : LIQUID OXYGEN

and is situated at Survey No: 83-0/14 Village/Town : Shillong MAWDIANG DIANG Police Station : SHILLONG District : EAST KHASI HILLS, State: Meghalaya, Pin : 793018
एवं स्थित Survey No. : 83-0/14 गांव या नगर : Shillong MAWDIANG DIANG पुलिस थाना SHILLONG जिला EAST KHASI HILLS राज्य Meghalaya, Pin : 793018 में स्थित है।

SPACE FOR ENDORSEMENT OF RENEWALS/नवीकरण के पृष्ठांकन के लिए स्थान

Date of Renewal/नवीकरण की तारीख	Date of Expiry/अनुमति की समाप्ति की तारीख	Signature and stamp of the licensing authority/अनुमति प्रधिकारी के हस्ताक्षर और आधिकारिक मुद्रा
<p>This licence shall be renewable without any concession in fee for three years in the absence of contravention of the provision of the Indian Explosives Act, 1884, or the Static and Mobile Pressure Vessels (Unfired) Rules, 2016, framed thereunder or of the conditions of the licence./अनुमति, भारतीय विस्फोटक अधिनियम, 1884 या उसके अधीन बनाए गए स्थिर एवं गतिशील दाब पात्र (अज्वलित) नियम, 2016 या इस अनुमति की शर्तों का उल्लंघन न होने की दशा में, फीस में बिना किसी छूट के तीन वर्ष तक नवीकरण की जाएगी।</p> <p>premise are not found conforming to the description and conditions attached hereto and contravention of any of the rules and condition; of this licence is also punishable with imprisonment for the term which may extend to two years or with fine which may extend to three thousand rupees or with both /यदि निरीक्षण के समय अनुमत्त परिसर इससे उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाया जाता है और जिन नियमों और शर्तों के अधीन यह अनुमति मंजूर की गई है उनमें से किसी का उल्लंघन होता है तो उस दशा में यह अनुमति रद्द की जा सकती है और अनुमति का धारक कारावास से, जिसकी अवधि दो वर्ष तक की हो सकती है, या जुर्माने से, जो तीन हजार रुपये तक का हो सकेगा, या दोनों से दण्डनीय भी होगा।</p>		
<p>Respected & Endorsed</p> <p><i>[Signature]</i></p> <p>DR. M. I. C. ANSARI 03/03/2020</p> <p>उप. मुख्य विस्फोटक नियंत्रक गुवाहाटी</p>		

This licence is liable to be cancelled if the licensed premises are not found conforming to the description and conditions attached hereto and contravention of any of the rules and condition; of this licence is also punishable with imprisonment for the term which may extend to two years or with fine which may extend to three thousand rupees or with both /यदि निरीक्षण के समय अनुमत्त परिसर इससे उपाबद्ध विवरण और शर्तों के अनुरूप नहीं पाया जाता है और जिन नियमों और शर्तों के अधीन यह अनुमति मंजूर की गई है उनमें से किसी का उल्लंघन होता है तो उस दशा में यह अनुमति रद्द की जा सकती है और अनुमति का धारक कारावास से, जिसकी अवधि दो वर्ष तक की हो सकती है, या जुर्माने से, जो तीन हजार रुपये तक का हो सकेगा, या दोनों से दण्डनीय भी होगा।

Centefel

Store & Procurement
NEIGRIHMS



भारत सरकार/Government of India

वाणिज्य और उद्योग मंत्रालय/Ministry of Commerce & Industry

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो) /Petroleum & Explosives Safety Organisation (PESO)

घर क्रमांक- २१६, दूसरी मंजिल, IDBI बैंक के ऊपर, चांदमारी, गुवाहाटी, आसाम -७८१०२१

गुवाहाटी- 781021

House No. 216, 2nd Floor, above IDBI, Chandmari, Guwahati,
Assam - 781021

ईमेल/E-mail :

dycceguwahati@explosives.gov.in

फोन / फ़ैक्स नंबर:/Phone/Fax No : 0361 -

2652783,2655144

दिनांक/Dated : 03/03/2020

संख्या/No : S/EC/MG/03/1(S96518)

To,

M/s. NORTH EASTERN INDIRA GANDHI REGIONAL INSTITUTE OF HEALTH & MEDICAL SCIENCES,(NEIGRIHMS),
SURVEY No.- 83-0/140, VILLAGE- MAWDIANG DIANG, CITY,
MAWDIANG DIANG,
SHILLONG,
Taluka: NEIGRIHMS,
District: EAST KHASI HILLS,
State: Meghalaya
PIN: 793018

विषय/Sub : Survey No, 83-0/14, VILLAGE- MAWDIANG DIANG, MAWDIANG DIANG, Shillong, District: EAST KHASI HILLS, State: Meghalaya, PIN: 793018 स्थित LIQUID OXYGEN, गैस के संपीडित पात्र / पात्रों में भंडारण के लिए स्थिर एवं गतिशील दाब पात्र (अज्वलित) नियम, 2016 के अधीन स्वीकृत अनुज्ञप्ति संख्या S/EC/MG/03/1 अनुज्ञप्ति निरीक्षण एवं पृष्ठांकन के बारे में/Storage of LIQUID OXYGEN gas in pressure vessels at Survey No, 83-0/14, VILLAGE- MAWDIANG DIANG, MAWDIANG DIANG, Shillong, District: EAST KHASI HILLS, State: Meghalaya, PIN: 793018 - Licence No : S/EC/MG/03/1 grant in form LS-1A of SMPV(U) Rules, 2016-Endorsement of Licence Regarding


महोदय/Sir
(s),

कृपया Jt. Chief Controller of Explosives East Circle office's के ज्ञापन सं S/EC/MG/03/1 (S96518) दिनांक 12/02/2020 का संदर्भ और अधोहस्ताक्षकर्ता/ कार्यालय के अधिकारी द्वारा उपरोक्त परिशरों के किए गए निरीक्षण दिनांक 29/02/2020 का संदर्भ ग्रहण करें/ Please refer to the Jt. Chief Controller of Explosives East Circle office's Memo No S/EC/MG/03/1 (S96518) Dated 12/02/2020 and inspection of the above premises by an officer of this Department on 29/02/2020 .

इस विषय लाइसेंस के साथ इसे पृष्ठांकन किया जाता है। लाइसेंस की प्राप्ति कृपया स्वीकार कर लें।/The subject licence is forwarded herewith duly endorsed. The receipt of the licence may please be acknowledged.

देर शुल्क से बचने के लिए एसएमपीवी (यू) नियम, 2016 के नियम 55 के अंतर्गत अनुज्ञप्ति के पुनः नवीकरण हेतु आवेदन '+@CircleDetails+' इस कार्यालय को इस अनुज्ञप्ति की वैधता समाप्त होने के पूर्व (दिनांक 30 सितम्बर '+@LicenceValidityYear+' को या इससे पूर्व) जमा कर दें।/ Please note that your application for further renewal shall reach this office on or before 30th September, 2020 along with all the documents required under Rule 55 of the SMPV(U) Rules, 2016 to avoid late fee.

भवदीय/Yours faithfully,


उप. मुख्य विस्फोटक निर्वहक
गुवाहाटी 03-03-2020

<http://10.0.50.28/PesoIII/V/licence/CustomizeLetterPrint.aspx>


Store & Production
NEIGRIHMS, Shillong



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
8, Esplanade East, 1st floor,
Kolkata - 700069

21

176

E-mail : jtccekkolkata@explosives.gov.in
Phone/Fax No : 033 - 22486600,22480427

13 FEB 2020

Dated : 12/02/2020

No : S/EC/MG/03/1 (S96518)

MEMORANDUM

Sub : Storage of the compressed gas ,LIQUID OXYGEN in 1 Number(s) of pressure vessels by NORTH EASTERN INDIRA GANDHI REGIONAL INSTITUTE OF HEALTH & MEDICAL SCIENCES (NEIGRIHMS), VILLAGE- MAWDIANG DIANG , MAWDIANG DIANG, Shillong, District: EAST KHASI HILLS, State: Meghalaya, PIN: 793018 -Grant of licence under SMPV(U) Rules, 2016.

Two Copies of Licence No. S/EC/MG/03/1 dated February 12, 2020 in Form LS-1A/B of SMPV(U) Rules, 2016 granted to NORTH EASTERN INDIRA GANDHI REGIONAL INSTITUTE OF HEALTH & MEDICAL SCIENCES, (NEIGRIHMS),VILLAGE- MAWDIANG DIANG , MAWDIANG DIANG, Shillong, District: EAST KHASI HILLS, State: Meghalaya, PIN: 793018, for the subject for storage of following kinds and quantities of compressed gas valid upto 30th September 2020 , are forwarded to the Dy. Chief Controller of Explosives, Guwahati. A copy of the set of certificates and list of competent persons are enclosed herewith.

Vessel No.	Name of Gas	State of Gas	Water Capacity in cubic meter	Max. working Pre. (kg/cm ²)	Quantity Granted in kgs(Liquified gas)
18T2258	LIQUID OXYGEN	Liquified	9.67	17.488	9934
Total Water capacity			9.67		

He is requested to inspect the premises and if he is satisfied that the storage installation conforms to the approved plan and all the conditions of licence are complied with, he may endorse the licence and forward it to the licensee under intimation to this office. If however, he decides not to endorse the licence, he may return the same to this office with reasons for not endorsing, not later than three months.

Encl As above

Yours faithfully,

(Abdul Mutalib)
Controller of Explosives
For Jt. Chief Controller of Explosives
Kolkata

To
the Dy. Chief Controller of Explosives, Guwahati

Copy forwarded to :-

1 M/s NORTH EASTERN INDIRA GANDHI REGIONAL INSTITUTE OF HEALTH & MEDICAL SCIENCES, (NEIGRIHMS), SURVEY No.- 83-0/140, VILLAGE- MAWDIANG DIANG, CITY, MAWDIANG DIANG, SHILLONG, Taluka: NEIGRIHMS, District: EAST KHASI HILLS State: Meghalaya Pin : 793018 with Reference to their letter No. OIN441309 dated 03/02/2020. The facilities shall not be taken into use until written permission is obtained from the respective office of the Organization. The provisions of the Rule 55 of the above said Rules shall be followed for further renewal of the licence beyond 30/09/2020. The renewal application along with fees, Original licence and other documents shall reach in the office of , so as to reach his office on or before the dated of expiry i.e 30/09/2020

For Jt. Chief Controller of Explosives
EC, Kolkata

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Handwritten notes and signatures at the bottom of the page, including a large 'B' and dates like '28/2/2020' and '2022/2/2020'.

Carleton Aiff

Store & Procurement Officer
NEIGRIHMS, Shillong



भारत सरकार/Government of India
 वाणिज्य और उद्योग विभाग/Ministry of Commerce & Industry
 दक्षिण तथा विस्फोटक सुरक्षा संगठन (पब्लिक)/Petroleum & Explosives Safety Organisation (PESO)
 8-एस्पलादे ईस्ट, पहली मंजिल
 कोलकाता (प.प.) - 700069
 8, Esplanade East, 1st floor,
 Kolkata - 700069

22 173

ई-मेल/Email: jccckoikolkata@explosives.gov.in
 फोन/फैक्स/Phone/Fax No: 033 - 22486600, 22480427

संख्या /No.: A.S/EC/MG/031 (596518)

तारीख/Date: 29/08/2019

सेवा में/To:

M.s. NORTH EASTERN INDIRA GANDHI REGIONAL INSTITUTE OF HEALTH & MEDICAL SCIENCES, (NEIGRIHMS),
 SURVEY NO- 83-0/140, VILLAGE- MAWDIANG DIANG, CITY,
 MAWDIANG DIANG,
 SHILLONG,
 Taluka: NEIGRIHMS,
 District: EAST KHASI HILLS
 State : Meghalaya
 PIN : 793018

29 AUG 2019

विषय/Subject: SURVEY NO- 83-0/14 VI: LAGE- MAWDIANG DIANG CITY जिला , MAWDIANG DIANG, SHILLONG, District EAST KHASI HILLS राज्य , State Meghalaya PIN : 793018 में LIQUID OXYGEN गैस के
 टैंकर संग्रहण में प्रस्तावित संयंत्र - स्थिर एवं गतिशील टैंक चार (अनुमति) नियम, 2016 के अंतर्गत प्रस्ताव का अनुमोदन जारी करने हेतु ।
 Proposed storage of LIQUID OXYGEN in pressure vessels in the bottling plant at Village -SURVEY NO- 83-0/14 VILLAGE- MAWDIANG DIANG CITY, MAWDIANG DIANG SHILLONG District EAST
 KHASI HILLS. State Meghalaya PIN : 793018 Grant of approval of under SMPV (U) Rules, 2016

संदर्भ/Ref:
 (1)

कृपया अपने पत्र संख्या OIN344347 दिनांक 23/08/2019 का अवलोकन करें ।
 Reference: your letter No. OIN344347 dated 23/08/2019

संदर्भित पत्र के साथ विषयवस्तुगत प्रस्ताव के बारे में प्राप्त निम्नलिखित ड्राइंग्स इस कार्यालय के अनुमोदन के अनुसार पाया गया तथा ड्राइंग के दो सेट विधिवत पृष्ठीकृत कर भेजे जा रहे हैं ।
 The following drawings received with your letter under reference in respect subject proposal meets with the approval of this office and two set thereof is sent herewith duly endorsed

Sr No	Drawing Date	Drawing Number	Drawing Description
1	05/08/2019	FSU/PC/LINE/LAYOUT/01	Layout Plan
2	05/08/2019	FSU/PC/LINE/HMR/02	Site Plan

आपको अनुमोदन के लिए निम्नलिखित अतिरिक्त चित्र और दस्तावेज जमा करने का अनुरोध किया गया है।/You are requested to submit the following additional drawings and documents for approval.

कृपया नोट करें कि टैंकर इन्सपेक्शन के अंतर्गत मान्यता प्राप्त चर्ची इन्सपेक्शन एजेंसी द्वारा संगठन से अनुमोदित डिजाइन ड्राइंग के अनुसार अनुमोदित निर्माता द्वारा वेसल कंस्ट्रिक्ट किया जाएगा।
 Please note that the vessels shall be fabricated by an approved manufacturer as per design drawings approved by this department under stage inspection by a recognized 3rd Party Inspecting Agency.

अनुमोदित ड्राइंग के अनुसार सुविधाओं की स्थापना के पश्चात अनुमोदनी जारी करने हेतु, स्थिर एवं गतिशील टैंक चार (अनुमति) नियम, 2016 के अंतर्गत प्रत्येक एलएस-1क में निम्नलिखित दस्तावेज इस कार्यालय को प्रस्तुत करें।
 After installation of the facilities as per the approved drawings you may submit the following documents for grant of licence in Form LS-1A of SMPV(U) Rules 2016

1. प्रारंभ - प्रारंभ-1 में आवेदन (नौन प्रतियाँ) /Application in Form AS-1
2. प्रेशर विन्ट सर्टिफिकेट, साइट, फाउंडेशन, प्रत्येक टैंकर वेसल के पी एच आइ ड्राइंग तथा कंस्ट्रिक्शन ड्राइंग - की 4 प्रतियाँ /4 copies of as-built' site layout, foundation, P&I drawings and fabrication drawings of each pressure vessel.
3. नियम 12 के अंतर्गत मान्यता प्राप्त चर्ची निरीक्षण एजेंसी द्वारा जारी नॉटिफिकेट ओक कंट्रोल (मूल + 2 प्रतियाँ) जो कि संगठन की वेबसाइट <http://peso.gov.in> पर "सहम व्यक्तित" और नॉटिफिकेट और नॉटिफिकेट के माध्यम से बनाया गया है। /Test & inspection certificates (certificate of control) issued by recognized 3rd Party Inspecting Agency (Original + 2 copies)
4. नियम 33 के अंतर्गत मान्यता प्राप्त सहम व्यक्तित द्वारा जारी किए गए सुरक्षा प्रमाणपत्र (मूल + 2 प्रतियाँ) जो कि संगठन की वेबसाइट <http://peso.gov.in> पर "सहम व्यक्तित" और नॉटिफिकेट और नॉटिफिकेट के माध्यम से बनाया गया है। /Safety certificates under rule 33 issued by recognized competent person (Original + 2 copies).
5. नियम 18 और 19 के अंतर्गत वेसल और सुरक्षा वाल्व के आंशिक परीक्षण के प्रमाण पत्र की 3 प्रतियाँ (नए पत्रों के लिए आवश्यक नहीं) जो कि संगठन की वेबसाइट <http://peso.gov.in> पर "सहम व्यक्तित" और नॉटिफिकेट और नॉटिफिकेट के माध्यम से बनाया गया है। /3 copies of certificate of periodic tests of vessel and safety valve under rules 18 & 19 (not required for new vessels)
6. स्थिर एवं गतिशील टैंक चार (अनुमति) नियम, 2016 के अंतर्गत नियम 47 के अधीन जिला प्राधिकारी से मूल अनुमोदनी प्रमाणपत्र के साथ उनके द्वारा पृष्ठीकृत साईट प्लान (दो विधिवत/अनुमोदनी गैस के लिए आवश्यक नहीं) (मूल + 2 प्रतियाँ) /Original No Objection Certificate from District Authority along with a site plan endorsed by him
7. अनुमोदित अनुमोदनी शुल्क हेतु राष्ट्रीयकृत बैंक द्वारा जारी JI Chief Controller of Explosives, Kolkata(W.B.) के पत्र में तथा Kolkata(W.B.) में टैंक बैंक ड्राफ्ट (प्रथम 5000 लिटर या उसके द्विगुण के लिए रु 5000/- तथा उसके अतिरिक्त 1000 लिटर या उसके द्विगुण के लिए रु 2500/- प्रति वर्ष अधिकतम रु 50000/- तक ही सीमित है - अधिकतम 5 साल का अनुमोदनी शुल्क स्वीकार्य है।) टैंक शुल्क एक वर्ष के लिए गैस की क्षमता 25000 लिटर तक प्रस्ताव हेतु रु 50000/- Bank draft for renuise licence fee drawn on a Nationalised Bank in favour of JI Chief Controller of Explosives, Kolkata(W.B.) payable at Kolkata (W.B.) (Rs. 5000/- for first 5000 lt or part thereof, and Rs. 2500 for every additional 1000 lt or part thereof, limited to maximum of Rs. 50,000/- per year - maximum 3 years licence fees is acceptable). Fee to be paid: For 10000 litres total water capacity of Gas for one year is Rs.17500.
8. इस विषय में प्रस्ताव करने हेतु अधिकृत व्यक्तियों के समूह इस्ताहार /Specimen signatures of persons authorized to make correspondence in the subject matter
9. Other Documents

तथापि, यह अनुमोदन / अनुमति अन्य प्राधिकारियों से आवश्यक अनुमति / क्लीयरन्स प्राप्त करने से या यथा लागू अन्य विधियों से छुट नहीं देता है।/This approval/permission, however, does not absolve from obtaining necessary permission/clearance from other authorities or under other statutes as applicable

Note

- 1) सार्वजनिक क्षेत्र के तेल कंपनियों के लिए दस्तावेज 9 (डी) में (आई) की आवश्यकता नहीं है।/Documents 9 (d) to (i) not required for Public Sector Oil Companies
- 2) गैस सिलिंडरों के नियमों के तहत पृष्ठीकृत अनुमोदन भेजा जा रहा है - सटीक कार्य संगठन

Separate approval under Gas Cylinders Rules being sent - Reference file No. _____

Signature
 More & Propurement Officer
 SHILLONG

अवधीय/Yours faithfully
Signature
 (अब्दुल मुतालिब)
 (Abdul Mutalib)
 विस्फोटक विभाग
 Controller of Explosives



Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
8, Esplanade East, 1st floor,
Kolkata - 700069

23 172

E-mail : jtccekokolkata@explosives.gov.in
Phone/Fax No : 033 - 22486600,22480427

No : S/EC/MG/03/1(S96518)

13 FEB 2020

Dated : 12/02/2020

MEMORANDUM

Sub : Storage of the compressed gas ,LIQUID OXYGEN in 1 Number(s) of pressure vessels by NORTH EASTERN INDIRA GANDHI REGIONAL INSTITUTE OF HEALTH & MEDICAL SCIENCES,(NEIGRIHMS), VILLAGE- MAWDIANG DIANG , MAWDIANG DIANG, Shillong, District: EAST KHASI HILLS, State: Meghalaya, PIN: 793018 -Grant of licence under SMPV(U) Rules, 2016.

Two Copies of Licence No. S/EC/MG/03/1 dated February 12, 2020 in Form LS-1A/B of SMPV(U) Rules, 2016 granted to NORTH EASTERN INDIRA GANDHI REGIONAL INSTITUTE OF HEALTH & MEDICAL SCIENCES, (NEIGRIHMS),VILLAGE- MAWDIANG DIANG , MAWDIANG DIANG, Shillong, District: EAST KHASI HILLS, State: Meghalaya, PIN: 793018, for the subject for storage of following kinds and quantities of compressed gas valid upto 30th September 2020 , are forwarded to the Dy. Chief Controller of Explosives, Guwahati A copy of the set of certificates and list of competent persons are enclosed herewith.

Vessel No.	Name of Gas	State of Gas	Water Capacity in cubic meter	Max. working Pre. (kg/cm ²)	Quantity Granted in kgs(Liquified gas)
18T2258	LIQUID OXYGEN	Liquified	9.67	17.458	993.4
Total Water capacity			9.67		

He is requested to inspect the premises and if he is satisfied that the storage installation conforms to the approved plan and all the conditions of licence are complied with, he may endorse the licence and forward it to the licensee under intimation to this office. If however, he decides not to endorse the licence, he may return the same to this office with reasons for not endorsing, not later than three months.

Encl.As above

Yours faithfully,

(Abdul Muttalib)
Controller of Explosives
For Jt. Chief Controller of Explosives
Kolkata

To :
the Dy. Chief Controller of Explosives, Guwahati

Copy forwarded to :-
* M/s. NORTH EASTERN INDIRA GANDHI REGIONAL INSTITUTE OF HEALTH & MEDICAL SCIENCES,(NEIGRIHMS),SURVEY No. - 83-0/140, VILLAGE- MAWDIANG DIANG, CITY MAWDIANG DIANG, SHILLONG, Taluka: NEIGRIHMS, District: EAST KHASI HILLS State: Meghalaya Pin : 793018 with Reference to their letter No. OIN441309 dated 03/02/2020. The facilities shall not be taken into use until written permission is obtained from the respective office of the Organization. The provisions of the Rule 55 of the above said Rules shall be followed for further renewal of the licence beyond 30/09/2020. The renewal application along with fees, Original licence and other documents shall reach in the office of , so as to reach his office on or before the dated of expiry i.e 30/09/2020.

For Jt. Chief Controller of Explosives
EC, Kolkata

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

Abdul Muttalib
Shyamsunder

Store & Procurement Officer
NEIGRIHMS, Shillong

Tenderer/Vendors/contractor should note that the following terms and conditions will apply specifically in addition to the Rules and the Regulation as applicable to such purchases in the Government of India

1. In case any of the stores are found unacceptable to the inspection authorities, alternative items/stores of acceptable quality/specification have to be supplied by the bidder/vendor/contractor.
2. The Accepting officer reserves the right to subject the sample to a second inspection by the nominated authority of the Director and may reject them if not found conforming to the specification even if the same had been accepted by the normal inspection authority. The Liquid Medical Gas shall be as per PESO guidelines.
3. On insistence, the vendor/contractor, the supplier should be in a position to submit quality assurance certificate/ analytical test report from the competent authority.
4. The stores supplied will be as per the desired specification and as per BIS/IS/ISO13485/CDSCO standard or as applicable to each category with detail purity certificate of the LMO.
5. Stores will be accepted subject to the condition of verification and Inspection by the competent authority / inspecting agency.
6. The supply and refilling of the liquid medical oxygen should be performed on staged delivery schedule as per refilling requirements of storage tanker .time schedule of delivery tanker unit as per need or usage of 80% of the liquid oxygen tank load whichever is earlier .in case of delay deduction on gross bill @0.5% per week or part thereof will be made as liquidated damage /delay in supply , subject to maximum of 10% of the delayed supplies, as per staggered delayed
7. Insurance /taxes during transit to be borne by the vendor / supplier/contractor inclusive of handling within the Institute's premises, till the completion of final Inspection and acceptance.
8. In case of exceptional delay in supplies, NEIGRIHMS shall reserve the right to cancel the supply order, reject delayed supplies and take suitable action deemed fit in the interest of the Institute
9. Minimum 20% of stock level to be maintained in the installed capacity to avoid emergency situation & for the same supplier should install suitable monitoring & alarming devices.
10. Should maintain the Safety Features in line with Global Safety Standards at the time of LMO Refilling.
11. The invoice will be raised in the staggered manner as per the refilling of LMO with detail receipt of the Weighting of transport of vessel before and after decanting should be done the presence of authorized person (GAS Keeper/gas mechanic/Gas officer) of the institute at mutually agreed authorized weighting bridge.
12. The e -bidder /contractor authorized professionals shall be available at NEIGRIHMS -LMO site, for verification, checking of weight and measures, monitoring during supply /refilling and countersigning of all documents.
13. Settlement of Disputes - If there is any dispute or differences, the same may be referred to Director, NEIGRIHMS.
14. Other term and conditions are as per Tender Enquiry No: NEIGR/S&P/OT/E -42/2018 -19

Yours faithfully

Stores & Procurement Officer
 For & on behalf of Director, NEIGRIHMS
 NEIGRIHMS, Shillong

① Mr. [Signature]
 ② Mr. [Signature]
 ③ Mr. [Signature]
 ④ Mr. [Signature]

Stores & Procurement Officer
 For & on behalf of Director, NEIGRIHMS

Copy forwarded for Information and necessary action please:

1. Indenting Officer /Inspection authority- Head /Incharge, Department of
2. Central /Ancillary Store
3. Biomedical Engineer
4. Purchase Order Master / Relevant File
5. Stores Section Record

Store & Procurement Officer
NEIGRIHMS, Shillong

पूर्वोत्तर इंदिरा गांधी क्षेत्रीय स्वास्थ्य एवं आयुर्विज्ञान संस्थान
North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences

(भारत सरकार, स्वास्थ्य एवं परिवार कल्याण मंत्रालय, स्वायत्त संस्थान)

(An Autonomous Institute, Ministry of Health and Family Welfare, Government of India)

निदेशक ब्लॉक, मावडियांगडिग, शिलांग -793 018 (मेघालय) / Director's Block, Mawdiangdiang, Shillong -793 018 (Meghalaya)

Store & Procurement
Tele Fax: (0364) 2538032

Email: storeneigrihms@gmail.com
Website: neigrihms.gov.in

F. No: NEIGR /S&P/LMO/2020/pt-1
Supply Order No: NEIGR/S&P/OT - 57/2020-21.

Dated: 28/04/2020.

To,
M/s Premierer Cryogenics Limited,
136, Maniram Devan Road, Chandmari, Guwahati - 781003
Tel: 0361 -2660192/ 2660193, E-mail: sales@pciho@gmail.com

Subject: Supply of Liquid Medical Oxygen, as per PESO norms [Ministry of Commerce & Industry (PESO) License No: S/EC/MG/03/1: dated: 12.02.2020]

"This Order/Memorandum issues with concurrence of Finance Branch vide their U.O

No: C-09/10-21. Dated: 28/04/2020.

Dear Sir /Madam,

With reference to our Tender Enquiry No: NEIGR/S&P/OT/E -42/2018 -19 and rate contract agreement dated: 19.12.2019 w.e.f. 01.01.2020 for five years or till the finalization of the next tender whichever is later, an order is hereby placed on you for supply of Liquid Medical Oxygen, as per details indicated herein.

This order which is intended for the supply of the store detailed in the scheduled below, in accordance with the terms & conditions of NEIGRIHMS /Government of India and in the manner specified herein, shall operate to create a specific contract between the contractor (with whom the contract referred to and the requisition are placed) on one part and NEIGRIHMS, Shillong, on the other part.

Sl. No.	Description of Stores /Items	Unit	Rate per kg	Goods & Service Tax (GST) @ 12%	Total Amount
1.	Supply of Liquid Medical Oxygen, as per PESO guidelines (Maximum gross weight 10000 kg in one tanker)	70,000 KG	Rs 20.00	Rs 2.40	Rs 22.40 x 70,000= Rs 15,68,000.00
				Total Cost:	Rs 15,68,000.00

In words: Rupees (Fifteen Lakh sixty eight thousand only)

Total price DDP -LMOt at NEIGRIHMS, Mawdiangdiang, Shillong - 793 018 including loading, unloading, handling, taxes, weighbridge and other unforeseen charges

Mr. Welson Warjri
Gas Keeper
NEIGRIHMS, SHILLONG

Gas Officer
NEIGRIHMS, Shillong-18

Store & Procurement Officer
NEIGRIHMS, Shillong