



Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिंड बंद होने की तारीख/समय	09-02-2023 14:00:00	
Bid Opening Date/Time/बिड खुलने की तारीख/समय	09-02-2023 14:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Health And Family Welfare	
Department Name/विभाग का नाम	Department Of Health And Family Welfare	
Organisation Name/संगठन का नाम	North Eastern Indira Gandhi Regional Institute Of Health A Medical Sciences (neigrihms)	
Office Name/कार्यालय का नाम	Neigrihms, Shillong	
Total Quantity/कुल मात्र		
Item Category/मद केटेगरी	EMG System wireless (Q3)	
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	14 Lakh (s)	
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	14 Lakh (s)	
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)	
MSE Exemption for Turnover	Yes	
Startup Exemption for Turnover	Yes	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Past Performance, Bidder Turnover, Cel (Requested in ATC), OEM Authorization Certificate, OEM An Turnover, Additional Doc 1 (Requested in ATC), Additional I (Requested in ATC), Additional Doc 3 (Requested in ATC), A Doc 4 (Requested in ATC), Compliance of BoQ specification supporting document *In case any bidder is seeking exemption from Experience Turnover Criteria, the supporting documents to prove his for exemption must be uploaded for evaluation by the buy	
Past Performance/विगत प्रदर्शन	30 %	
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	No	
Comprehensive Maintenance Charges Required	Yes	

Bid Details/बिंड विवरण	
Type of Bid/बिंड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	7 Days
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	Bank Of Baroda
EMD Amount/ईएमडी राशि	90000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank	Bank Of Baroda
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अविध (महीने).	62

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the releva as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बि केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए से ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Stores and Procurment Officer

Neigrihms, Shillong, Department of Health and Family Welfare, North Eastern Indira Gandhi Regional Institute of Hea Medical Sciences (NEIGRIHMS), Ministry of Health and Family Welfare (Harendra Dey)

Splitting/विभाजन

Bid splitting not applied.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempte requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specific the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subjecting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Ex Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. I bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility fo must be uploaded for evaluation by the buyer.
- 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of cert Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indication turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constall be taken into account for this criteria.
- 4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or th reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / Sta Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document be opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quanti each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet criterion.
- 5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Docum evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Acco Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the da constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed final after the date of constitution shall be taken into account for this criteria.
- 6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as (public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to c Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidde upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid va than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.20 eligible to participate. However, eligible micro and small enterprises will be allowed to participate. In case Buyer has Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause. 7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to ava Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Service bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be up along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quote within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Se be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of tota 8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any (State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative or quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Fina In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता:

List of comsumables/accessories/spares to be quoted separately - 1674025368.xlsx

Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
26-01-2023 14:00:00	NEIGRIHMS, Shillong /Online mode

EMG System Wireless (1 set)

(Minimum 50% and 25% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अईता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	<u>Download</u>
---	-----------------

Comprehensive Maintenance	
Warranty of required product	5 Year
Comprehensive Maintenance Duration (Post Warranty)	5 Year

^{*}Warranty displayed under the AMC/CMC Details section will supersede the warranty displayed under the catalog spi

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र.सं.	Consignee Reporting/Officer/परेष िती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/ਤਿੰ
1	Khrawkupar Jithod Katrai	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	1	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

- 1. Authorised Service Centre within the state of Odisha, along with a dedicated contact person with telephone n technical solution in a fast track basis at this institution as and when required basis.
- 2. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along Purchase Order.
- 3. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
- 4. Make in india specific authorisation certificate needs to be enclosed.

5. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibilit regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to t maximum of quoted GST %.

6. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the mark at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM befor period.

7. Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technic parameters, the bid is liable for rejection.

8. Generic

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ has storage/safety/ health/ environment to be undertaken/specified before dispatch. During dispatch, proper syr hazard/ MSDS/Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/p pasted on the body of the packing.

9. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, At Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and required to be furnished along with the bid

10. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders to accept the orders accordingly.

11. Scope of Supply

Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Good Training of operators and providing Statutory Clearances required (if any)

12. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentar in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Account Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completinancial years after the date of constitution shall be taken into account for this criteria.

13. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in the completed financial years after the date of constitution shall be taken into account for this criteria. In case bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion

14. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered India to provide after sales service support in India. The certificate to this effect should be submitted.

15. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consig Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service cen already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of awarentract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre in the State of each Consig Location in case of carry-in warranty.

16. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone Service Support.

17. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Support.

18. Warranty

Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide Comprehensive M Service for next 5 years for the offered products at the rate not more than 5 % of contract price per annum. E reserves the right to enter into a CMC agreement with the Successful Bidder / OEM after expiry of the Warran above mentioned rate and the payment for the CMC charges would be made Biannually after rendering of the Services of the relevant CMC period. Performance Security of the successful bidder shall be forfeited if it fails the CMC contract when called upon by the buyer. CMC would include cost of as per quoted (Upload the under original Performance Security of contract will be returned only after submission and verification of AMC Perfor Security for 3% of total CMC value valid up to CMC period plus 2 months (if there is no other claim).

19. Warranty

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. Ol Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller sho guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the service of the supplication of the su

20. Warranty

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engine designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely 5 rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause

21. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / so requirement during warranty period, Seller has to complete the required Service / Rectification within 7 days. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyelse the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cur Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seliable to re-imberse the cost of such service / rectification to the Buyer.

22. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

(A) Scope of work & Document details (Non buy-Back) Following mandatory documents must be attached in the bid document as specified failing which bid will be treated as" Non-Responsive" Cost of spare parts, consumables and accessories which are not covered under warranty & CMC period has to quote as percentage value in the Technical Bid (Additional Doc 1(Requested in ATC))List of consumables with price frozen for 10 years , or else will be consider to be cover throughout the warranty & CMC period. Documents with regard to Details compliance statement to be attached At "Additional Doc 2(Requested in ATC)" 3 Documents with regard to Original Literature, Product catalogue, Technical from the firm/O.E.M with Highlighting as per the technical specification must attach At "Additional Doc 3(Requested in ATC)" Documents with regard to list of Offering/Quoted items mentioning make, model & quantity of each items must be "Additional Doc 4(Requested in ATC)" Warranty and Maintenance Warranty for 5 years followed by CMC for 5 years including Spares & service for all the items supplied in this particular tender including third-party items and turnkey works . 2 Mandatory 2 PMs / Year with unlimited breakdown calls has to be attended by the Bidder/manufacturer throughout the warranty & CMC period at site.i.e. NEIGRIHMS, SHILLONG. 3 Duly signed Mandatory PM reports has to be submitted periodically, falling which necessary action will be initiated as per term& condition of the tender. C Scope of work The bidder has to mandatorily quote for all the items stores mentioned in the Technical Specification & Scope of Work ,failing which bid will be treated as" Non-Responsive"

E-bidder have to adhere to Government of India, Ministry of Finance, PPD division Public procurement order OM F.No.6/18/2019-PPD dated 23rd july,2020 inserting Rule 144(Xi)in GFR 2017,No 1 dated: 23/7/2020 and subsequent Orders No 2 & 3 or as amended from time to time, failing which the bids shall be treated as non-responsive.

Scope of work & Document details: for Buy back Cases Following mandatory documents must be attached in the bid document as specified, failing which bid will be treated as" Non-Responsive" Cost of spares, consumables and accessories not covered under warranty and CMC period shall be offered as percentage value of the system/Unit in the Technical Bid ATC1/2 Documents with regard to Details compliance statement to be attached at "Additional Doc 2(Requested in ATC)" Documents with regard to Original Literature, Product catalogue, technical datasheet from the firm/O.E.M with Highlighting as per the technical specification must attach 3 At "Additional Doc 3(Requested in ATC)" Documents with regard to list of Offering/Quoted items mentioning make, model & quantity of each store must be "Additional Doc 4(Requested in ATC)" Warranty and Maintenance Warranty for 5 years followed by CMC for 5 years including Spares & service for all the items supplied in this particular tender including third-party items and turnkey works Mandatory 2 PMs / Year with unlimited breakdown calls has to be attended by the Bidder/manufacturer throughout the warranty & CMC period at site.i.e. NEIGRIHMS, SHILLONG.

Duly signed Mandatory PM reports must be submitted periodically, falling which necessary action will be initiated as per term& condition of the tender. Scope of work The bidder has to mandatorily quote for all the items stores mentioned in the Technical Specification & Scope of Work ,failing which bid will be treated as" Non-Responsive" Prices of all accessories (reagents, consumables, controls closed/ open etc) need to be clearly indicated as % of the total price in the technical bid Technical Bid ATC1/2 and will be consider for evaluation as in BOQ or else bid will be treated as "non responsive". The CMC cost offered from 6th to the 1oth year to be indicate in ATC ½ shall in indicate in percentage inclusive of GST and shall not exceed 5% of the system cost. E-bidder must adhere to Government of India, Ministry of Finance, PPD division Public procurement order OM F.No.6/18/2019-PPD dated 23rd july,2020 inserting Rule 144(Xi)in GFR 2017 ,No 1 dated: 23/7/2020 and subsequent Orders No 2 & 3 or as amended from time to time, failing which the bids shall

be treated as non-responsive.

(B) Buyer Added Bid Specific Terms and Conditions

1. Generic

End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same provided in Buyer's standard format only.

2. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly,

manufactured and supplied same or similar Category Products to any Central / State Govt Organization Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be sull along with bid in support of having supplied some quantity during each of the year. In case of bunch primary product having highest value should meet this criterion.

3. Generic

IT equipment shall be IPv6 ready from day one.

4. Generic

Installation, Commissioning, Testing, Configuration, Training (As applicable as per scope of supply) is carried out by OEM / OEM Certified resource or OEM authorized Reseller.

5. Generic

Upload Manufacturer authorization: Wherever Authorized Distributors are submitting the bid, Manufacturers Authorization Form (MAF)/Certificate with OEM details such as name, designation, add mail Id and Phone No. required to be furnished along with the bid.

6. Generic

The successful bidder has to supply all essential accessories required for the successful installation ar commissioning of the goods supplied. Besides standard accessories as per normal industry practice, accessories must be part of supply and cost should be included in bid price: All the items and access Technical Specification.

7. Generic

The Buyer has an existing set up / inventory of similar products. The offered / supplied product must k compatible with existing system. The bidder has to ensure Compatibility of the supplied items or shall include in the supply the necessary hardware / software to make them compatible at no extra cost to The details of items with which compatibility is required are as under: all the spares Including UPS, PC Printer, Probes & upgradation of System Software & third party Software

8. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning ,Training of operators and providing Statutory Clearances required (if any)

9. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last years, ending on 31st March of the previous financial year, should be as indicated in the bid documed Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certific the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period should with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year average turnover in respect of the completed financial years after the date of constitution shall be tal account for this criteria.

10. Turnover

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered pr during the last three years, ending on 31st March of the previous financial year, should be as indicat bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periodertificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the reliperiod shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less year old, the average turnover in respect of the completed financial years after the date of constitution to be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO prime product having highest bid value should meet this criterion.

11. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a loffice in India to provide after sales service support in India. The certificate to this effect should be su

12. Purchase Preference (Centre)

As per DPIIT notification at the time of e-tender , bidding or solicitation the bids shall be required percentage of local content and provide self-certification (by Director/ Company Secretary) and also of the location/s at which value addition is made". Since the bidder here is not the local supplier, th required to be obtained from the "Class-I local supplier/Class II local supplier"

Further the details of Calculations of local content areas under:

Ouestion 1. How to calculate Local Content?

Answer: Para 2 of the PPP-MII Order, 2017 (as amended on 16.09.2020) defines local content as

Local content' means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value, in percent.

Mathematically,

Local content = (Sale price - Value of imported content) * 100/ Sale price

Where, "Sale price" means price excluding net domestic indirect taxes and "Value of imported content" means price of imported content inclusive of all customs duties

Question2. How to calculate Local Content in bids involving supply of multiple items from single bidde

Answer: In case of bids requiring supply of multiple items (say "X1", "X2" and "X3") by a single bidder content in the bid shall be

Local content = ((Sale price of "X1" - Value of imported content in "X1") + (Sale price of "X2" - Value content in "X2") + (Sale price of "X3" - Value of imported content in "X3")) * 100/ (Sale price of "X1" of "X2" + Sale price of "X3")

13. Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site was service center is not already there at the time of bidding, successful bidder / OEM shall have to estab within 30 days of award of contract. Payment shall be released only after submission of documentary

of having Functional Service Centre.

14. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free 1 No. for Service Support.

15. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Num Service Support.

16. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought ir document, ATC and Corrigendum if any.

17. Certificates

The bidder or the OEM of the offered products must have BIS/WHO-GMP/ CDSCO Indian certification o certification as recognized by Government of India

18. Certificates

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buye the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

19. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type t certificate, approval certificates and other certificates as prescribed in the Product Specification given bid document.

20. Certificates

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports o of bid opening (to be uploaded with bid): All the quality & electrical safety certificates .

21. Warranty

Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide Comprehe Maintenance Service for next 5 years for the offered products at the rate not more than 5% of contra per annum. Buyer reserves the right to enter into a CMC agreement with the Successful Bidder / OEM expiry of the Warranty period at above mentioned rate and the payment for the CMC charges would I Biannually after rendering of the CMC Services of the relevant CMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the CMC contract when called upon by the buye would include cost of all the spares Including UPS, PC, battery, Printer, Probes & upgradation of Syste Software & third party Software (Upload the undertaking). The original Performance Security of contract returned only after submission and verification of AMC Performance Security for 5% of total CMC value up to CMC period plus 2 months (if there is no other claim).

22. Warranty

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods completion of installation, commissioning & testing of goods (if included in the scope of supply), at co location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of seller should guarantee the rectification of goods in case of any break down during the guarantee pe should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance group in INDIA for attending the after sales service. Details of Service Centres near consignee desting be uploaded along with the bid.

23. Warranty

Over and above the normal Warranty terms as per GeM GTC, the successful bidder / OEM shall have to Comprehensive Warranty during the entire Standard warranty period as per contract.: The comprehe warranty shall be covering the following scope all the spares Including UPS, PC, battery ,Printer ,Prob upgradation of System Software & third party Software (Upload an undertaking with the bid confirmin compliance by the bidder if Bidder is taking onus of this compliance. In case OEM is taking onus of the compliance, OEM undertaking is to be uploaded along with Bidder undertaking)

24. Warranty

Successful bidder will have to ensure that adequate number of dedicated technical service personals are designated / deployed for attending to the Service Request in a time bound manner and for ensure Servicing / rectification of defects during warranty period, as per Service level agreement indicated in relevant clause of the bid.

25. Warranty

Timely Servicing / rectification of defects during warranty period: After having been notified of the deservice requirement during warranty period, Seller has to complete the required Service / Rectificatio days' time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller capenalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount for Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract which the Buyer shall have the right to get the service / rectification done from alternate sources at the cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service rectification to the Buyer.

26. Past Project Experience

For fulfilling the experience criteria any one of the following documents may be considered as valid pr meeting the experience criteria:

- a. Purchase Order copy along with Invoice(s) with self-certification by the bidder that supplies agains invoices have been executed.
- b. Execution certificate by client with order value.
- c. Any other document in support of order execution like Third Party Inspection release note, etc.

27. Past Project Experience

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and ir commissioning of same or similar Category Products during preceding 3 financial years (i.e. current y

three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should also be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid should meet this criterion

28. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of NEIGRIHMS EMD SEC DEPOSITS payable at MAWDIANGDIANG, SHILLONG-793018, MEGHALAYA. Bidder has to upload scan / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within Bid End d time / Bid Opening date & time.

29. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand or with 1 of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer a endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buye End date & time / Bid Opening date & time.

30. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of NEIGRIHMS EMD SECURITY DEPOt payable at MAWDIANGDIANG, SHILLONG-793018, MEGHALAYA . Bidder has to upload scanned copy / the BC along with bid and has to ensure delivery of hardcopy to the Buyer within within Bid End date Opening date & time.

31. Forms of EMD and PBG

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary NEIGRIHMS EMD SECURITY DEPOSITS Account No. 30270200000027 IFSC Code BARBOMAWDIA Bank BANK OF BARODA Branch address MAWDIANGDIANG, SHILLONG-793018, MEGHALAYA . Bidder to ind number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidd to upload scanned copy / proof of the Online Payment Transfer along with bid.

32. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft a PBG which is allowed as per GeM GTC). DD should be made in favour of NEIGRIHMS EMD SECURITY DI payable at MAWDIANGDIANG, SHILLONG-793018, MEGHALAYA. After award of contract, Successful E upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original Buyer within 15 days of award of contract.

33. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (bes which is allowed as per GeM GTC). FDR should be made out or pledged in the name of NEIGRIHMS EN SECURITY DEPOSITS A/C (Name of the Seller). The bank should certify on it that the deposit can be w only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and s along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contri

34. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Payment online through RTGS, banking also (besides PBG which is allowed as per GeM GTC). On-line payment shall be in Beneficiary NEIGRIHMS EMD SECURITY DEPOSITS Account No. 30270200000027 IFSC Code BARB0MAWDIA Bank | OF BARODA Branch address MAWDIANGDIANG, SHILLONG-793018, MEGHALAYA. Successful Bidder to Contract number and name of Seller entity in the transaction details field at the time of on-line transles to upload scanned copy / proof of the Online Payment Transfer in place of PBG within 15 days of contract.

(C) 35.Additional Terms and conditions & Scope of Work for CMC

Tenderer/Vendors/contractor should note that the following terms and conditions will apply specifically in the Rules and the Regulation as applicable to such provide services in the Government of India.

1. Comprehensive Annual Maintenance Contract must include Labour, spares & Preventive Main

all the excluding of battery, Accessories/Consumables

- 2. The terms and conditions of the tender and the agreement executed will be bindir vendor/contractor. This offer is being issued in accordance with the terms & conditions of /Government of India and in the manner specified herein shall operate to create a specified between the vendor/contractor (with whom the contract referred to) on one part and NEIGRIHM! on the other part.
- **3.** The required spares to be replace must be genuine and certified from the OEM.
 - 4. Repairs to be undertaken should be within specified configuration and maintaining integration on internal circuit of equipment, any deviation on configuration/specificat repair will not be acceptable. After repairs, a certificate to the effect that the equipment working order and safe for patient care and non-hazardous for the handler shall be subly the CMC holder.
- **5.** Tenderer/Vendors/contractor is responsible to provide electrical and patient safety certif major repair of equipment which are used for direct patient care.
- **6.** The system must be checked & calibrated after every spare changes and detail service reposubmitted to the user & BME.
- 7. 2 nos of Periodic preventive maintenance is mandatory irrespective of unlimited service /
- 8. Same /Similar Standby system must be provided by the bidder if the system needs to send to for any major repair.
- Recéipt of this offer may be acknowledged and a copy duly signed/stamped by the authorized should be submitted before finalization of the agreement.
- 10. The Performance security shall be denominated in any one of the forms namely Account Paye Draft or Fixed Deposit Receipt drawn from any nationalized bank in India or Bank Guarantee is nationalized bank in India, pledge in favor of Deputy Director, NEIGRIHMS, and Shillong-793 amount equivalent to 3% of the total cost of annual CMC. The validity of the Fixed Deposit receignarantee will be upto 2 months beyond CMC period.
 - 11. It may also be noted that there should be no negligence in providing services of type, if any, complaint is received the contract will be terminated with immediate effe
- 12. There will be 98% uptime warranty during CMC period on 24 (hrs) X 7 (days) X 365 (days) penalty, to extend CMC period by double the downtime period. The vendor shall ensure optimun the system during CMC period, failing which the initiate shall initiate stern action, as deemed fit.

- **13.** During Comprehensive Maintenance Contract period, the supplier shall visit at each consigne preventive maintenance including testing and calibration as per the manufacturer's service/ operational manual. The supplier shall visit each consignee site as recommended in the man manual, but at least once in 6 months commencing from the date of the successful completion operiod for preventive maintenance of the goods.
- **14.** Processing of bill may be considered on yearly basis with satisfactory report from the user defined the AMC/CMC bills should be certified by the concerned Head of the Department/ In- Charge the respective DMS/MS.
- **15.** software updates should be provided free of cost during CMC. The first service call by the service engineers should be within 7 days of issue of this order.
- **16.** Settlement of disputes Director, NEIGRIHMS or his authorized representative shall be the final in all disputes and decision will be binding on all concerned.
- 17. All other terms & conditions are as per award of contract mentioned in pre-page.
- **18.** Bidders are required to sign the CMC contract agreement within 15 (fifteen) days from the the letter of award/supply order, failing which EMD/security deposit may be forfeited or declared null and void.
- **19. Prebid:-**E-Procurement Cell , Ground Floor, Director block, NEIGRIHMS Shillong-793018 2538032/2539458 or through VC link

20. Technical Specification

The specifications in Additional Terms and Conditions – Buyer Specific Clauses (A supersede the "GeM category specification". The technical evaluation will be as a specifications only, and the bidders shall quote the equipment and submit the compliance accordingly.

	Instrument should be Fully Automated, walk away, Integrated Urine Analyzer,		
	integrating both Urine Chemistry and Urine Sediment analysis.		
	Instrument should be based on modular platform with facility to add any		
	further required unit in future.		
3	For Chemistry, it should provide Parameters like Glucose, Protein, Blood, Bilirubin, Urobilinogen, pH, Ketones, Nitrite, and Leukocyte. There should be option to use strips with additional parameters like Microalbumin and Creatinine.		
	Instrument Strip Feeder should have Storage of 300 test strips		
5	The instrument should also provide Parameters including Specific Gravity,		
	Turbidity & Colour.		

For Sediment analysis the instrument must be based on Fluorescence Flow cytometry for measurement of Parameters such as RBC, WBC, Epithelial Cells, Cast and Bacteria with differentiation of types of Epithelial cells. 7 There should be facility to analyze selective samples for Digital Imaging. 8 Digital imaging should only be used to analyse morphology of particles/ cells and not for quantitative estimation. 9 The system should provide scatter grams and histograms for easy interpretations 10 The system should provide additional RBC Morphology Information like Dysmorphic, Isomorphic. 11 The system should be using only Uncentrifuged Native Urine samples for Analysis to avoid Centrifugation loss. Software should be User friendly with programmable QC Files for Sediment and Chemistry. Instrument throughput should be minimum 270 samples / hour (sediment analysis). 13 Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. 14 Instrument should have flexibility to analyze sample in STAT mode for Sediment analysis.						
Parameters such as RBC, WBC, Epithelial Cells, Cast and Bacteria with differentiation of types of Epithelial cells. 7 There should be facility to analyze selective samples for Digital Imaging. 8 Digital imaging should only be used to analyse morphology of particles/ cells and not for quantitative estimation. 9 The system should provide scatter grams and histograms for easy interpretations 10 The system should provide additional RBC Morphology Information like Dysmorphic, Isomorphic. 11 The system should be using only Uncentrifuged Native Urine samples for Analysis to avoid Centrifugation loss. Software should be User friendly with programmable QC Files for Sediment and Chemistry. Instrument throughput should be minimum 270 samples / hour (sediment analysis). 13 Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. 14 Instrument should have flexibility to analyze sample in STAT mode for	6					
selective samples for Digital Imaging. B Digital imaging should only be used to analyse morphology of particles/ cells and not for quantitative estimation. The system should provide scatter grams and histograms for easy interpretations The system should provide additional RBC Morphology Information like Dysmorphic, Isomorphic. The system should be using only Uncentrifuged Native Urine samples for Analysis to avoid Centrifugation loss. Software should be User friendly with programmable QC Files for Sediment and Chemistry. Instrument throughput should be minimum 270 samples / hour (chemistry) & 80 samples / hour (sediment analysis). Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. Instrument should have flexibility to analyze sample in STAT mode for		Parameters such as RBC, WBC, Epithelial Cells, Cast and Bacteria with differentiation of types of Epithelial				
analyse morphology of particles/ cells and not for quantitative estimation. 9 The system should provide scatter grams and histograms for easy interpretations 10 The system should provide additional RBC Morphology Information like Dysmorphic, Isomorphic. 11 The system should be using only Uncentrifuged Native Urine samples for Analysis to avoid Centrifugation loss. Software should be User friendly with programmable QC Files for Sediment and Chemistry. Instrument throughput should be minimum 270 samples / hour (chemistry) & 80 samples / hour (sediment analysis). 13 Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. 14 Instrument should have flexibility to analyze sample in STAT mode for	7					
9 The system should provide scatter grams and histograms for easy interpretations 10 The system should provide additional RBC Morphology Information like Dysmorphic, Isomorphic. 11 The system should be using only Uncentrifuged Native Urine samples for Analysis to avoid Centrifugation loss. Software should be User friendly with programmable QC Files for Sediment 12 and Chemistry. Instrument throughput should be minimum 270 samples / hour (chemistry) & 80 samples / hour (sediment analysis). 13 Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. 14 Instrument should have flexibility to analyze sample in STAT mode for	8	analyse morphology of particles/ cells				
grams and histograms for easy interpretations 10 The system should provide additional RBC Morphology Information like Dysmorphic, Isomorphic. 11 The system should be using only Uncentrifuged Native Urine samples for Analysis to avoid Centrifugation loss. Software should be User friendly with programmable QC Files for Sediment and Chemistry. Instrument throughput should be minimum 270 samples / hour (chemistry) & 80 samples / hour (sediment analysis). 13 Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. 14 Instrument should have flexibility to analyze sample in STAT mode for		and not for quantitative estimation.				
RBC Morphology Information like Dysmorphic, Isomorphic. 11 The system should be using only Uncentrifuged Native Urine samples for Analysis to avoid Centrifugation loss. Software should be User friendly with programmable QC Files for Sediment and Chemistry. Instrument throughput should be minimum 270 samples / hour (chemistry) & 80 samples / hour (sediment analysis). Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. 14 Instrument should have flexibility to analyze sample in STAT mode for	9	grams and histograms for easy				
 The system should be using only Uncentrifuged Native Urine samples for Analysis to avoid Centrifugation loss. Software should be User friendly with programmable QC Files for Sediment and Chemistry. Instrument throughput should be minimum 270 samples / hour (chemistry) & 80 samples / hour (sediment analysis). Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. Instrument should have flexibility to analyze sample in STAT mode for 	10	RBC Morphology Information like				
centrifuged Native Urine samples for Analysis to avoid Centrifugation loss. Software should be User friendly with programmable QC Files for Sediment and Chemistry. Instrument throughput should be minimum 270 samples / hour (chemistry) & 80 samples / hour (sediment analysis). Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. Instrument should have flexibility to analyze sample in STAT mode for						
Software should be User friendly with programmable QC Files for Sediment 12 and Chemistry. Instrument throughput should be minimum 270 samples / hour (chemistry) & 80 samples / hour (sediment analysis). 13 Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. 14 Instrument should have flexibility to analyze sample in STAT mode for	11	The system should be using only Uncentrifuged Native Urine samples for				
programmable QC Files for Sediment and Chemistry. Instrument throughput should be minimum 270 samples / hour (chemistry) & 80 samples / hour (sediment analysis). Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. Instrument should have flexibility to analyze sample in STAT mode for		Analysis to avoid Centrifugation loss.				
should be minimum 270 samples / hour (chemistry) & 80 samples / hour (sediment analysis). 13 Instrument should be capable of analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. 14 Instrument should have flexibility to analyze sample in STAT mode for						
analysis in Automated Sampler Mode with capacity of 80 sample tubes and Internal Barcode for Sample Identification. 14 Instrument should have flexibility to analyze sample in STAT mode for	12	should be minimum 270 samples / hour (chemistry) & 80 samples / hour				
Internal Barcode for Sample Identification. 14 Instrument should have flexibility to analyze sample in STAT mode for	13	analysis in Automated Sampler Mode				
analyze sample in STAT mode for		Internal Barcode for Sample				
Sediment analysis.	14	analyze sample in STAT mode for				
		Sediment analysis.				

15	The firm should have Controls available for both chemistry and sediment				
	analysis.				
16	The system should have separate body fluid mode.				
17	In body fluid mode the system should provide all required parameters like RBC, WBC, Epithelial Cells (EC), Mononuclear Leucocytes, Polymorphonuclear				
	Leucocytes, Total Nucleated Cells (TNC) & Bacteria.				
18	Body fluid sample volume requirement should be 0.5 -2ml				
	Instrument should be provided with advanced data management software or work area management with capacity to store patient results for up to 1,				
	00,000 patients.				
20	The system should have facility for Results Output to Printer or Transmitted to LIS / HIS.				
21	Should have European CE or US FDA certification or BIS approved				
22	The calibration, IQ, OQ and PQ of the instrument should be performed at the				
	time of installation and certificates should be provided.				
23	To be supplied with Branded computer system with at least Core i7				
	processor, 8GB RAM, 1TB HDD, DVD R/R, 21" or better LED Monitor, Genuine				

	Windows 10 or more, A4 size laser printer and appropriate bar code reader.			
24	UPS backup adequate for the duration of one cycle of processing should be provided.			
25	Start-up kit for at least 200 tests should be provided free of cost.			
26	Appropriate work bench/ stand should be provided for the instrument.			
27	Document supporting track record and satisfactory performance from institutes of national importance (minimum one) should be provided.			

Additional conditions:

- 28.Price for (30,000 number of tests / year) will be considered for price ev for 10 years (i.e. 30,000 X 10 year- 5 yr warranty and 5 yr CMC)
- 29.Instrument throughput for chemistry analysis should be Minimum 270 sper hour and throughput for sediment analysis should be Minimum 80 sar per hour
- 30.Declaration of supply of reagents, consumables and all other accessoring related to the system including warranty and CMC period must be attached
- 31 Five (5) years warranty and Five (5) years CMC should be provided with cost consumables etc for entire life cycle with Maintenance kit free of cost
- 32. Start-up test kit for at least 200 tests should be provided with the sys including all consumables, reagents, solutions and other related stores
- 33. The calibration, IQ, OQ and PQ of the instrument should be performed a

Gem Bid No:-		-	
Item Description	Pack size	Frequency / minimum Time period for Change of the mentioned Item	Prices in only in % of the Basic price of the system Quoted

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority

Disclaimer/अस्वीकरण

time of installation and certificates should be provided.

Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding proces outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to the due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorpt the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issin this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exerprovided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process.
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifyir equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experienc
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case m

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this can raise their representation against the same by using the Representation window provided in the bid details field dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all suc representations and would not be allowed to open bids if he fails to reply to such representations.

Additional Clause For Comprehensive Maintenance Charges

- 1.CMC shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares, after satisfactory completion of Warranty. During the CMC period comme date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommen manufacturer's technical/ service /operational manual, at least once in six months or as per user requirement. Cost consumables shall not be included in CMC.Further there will be 98% uptime warranty during CMC period on 24 (hrs) X 365 (days) basis, with penalty, to extend CMC period by double the downtime period.
- 2.CMC charges to be indicated as percentage of cost of equipment quoted for each year after the warranty period. 3.GST shall be included in the CMC Charges quoted.
- 4.Cost of CMC will be added for Ranking/Evaluation purpose with depreciation formula. A 10% discounting rate per yeapplied on CMC Charges for price evaluation on Net Present Value.
- 5. The payment of CMC will be made on quarterly basis after satisfactory completion of said period, duly certified by 6. While creating a bid or RA, buyers shall indicate whether CMC is required against Yes/No" options. If CMC Charges included, an option for number of years for CMC required after the warranty period shall be available. Under this option years can be chosen for CMC charges beyond warranty period.
- 7.In case the bid has a provision for CMC, the warranty of the product will also be deemed to have been converted ir Comprehensive warranty including preventive maintenance and calibration as per technical/ service /operational ma manufacturer, service charges and spares, during the Warranty Period also. Sellers are therefore advised to include Comprehensive Warranty including spares (excluding consumables) also in product Cost.
- 8.The CMC functionality shall be available in bid only and no direct RA shall be applicable. In case of bid to R/A decreishall be applicable on total price inclusive of CMC charges. Bunching of products shall not be available while creating CMC charges.
 - 8.1.Buyer shall indicate number of years of warranty by selecting different options available in the field depe warranty parameter applicable in category parameters for the equipment. No. of years of warranty indicated supersede the warranty period indicated elsewhere in bid or product specifications. The Seller while participa Bid/RA will get fields to indicate CMC charges as percentage depending on number of years of CMC selected The following shall be applicable, if 5 year CMC selected:

CMC charges for 1st year after warranty period- Percentage to be indicated- A1

CMC charges for 2nd year after warranty period- Percentage to be indicated- A2

CMC charges for 3rd year after warranty period – Percentage to be indicated- A3

CMC charges for 4th year after warranty period - Percentage to be indicated- A4

CMC charges for 5th year after warranty period - Percentage to be indicated- A5

Similarly, A6 to A10 are to be indicated for 6th to 10th year of CMC if applicable.

8.2. The calculation of CMC Charges shall take into account the number of years of warranty and duration of (specified while creating bid.

8.3.In the price evaluation, the system shall provide function to calculate the cost of each equipment by form indicated below includingCMC and then show the inter-se-ranking of the bidders. The following are the variat

- (i) Number of years for which CMC required.
- (ii) Number of years of product warranty

The formula for calculating total cost including CMC charges shall be as under:

Total Cost for evaluation=

 $C+C*\{(A1/100)/(1.10^n)+(A2/100)/(1.10^n+1)+(A3/100)/(1.10^n+2)+(A4/100)/(1.10^n+3)+(A5/100)/(1.10^n+3)+($

C - Cost for equipment quoted and n shall be number of years of product warranty specified.

If 2 year warranty specified, n shall be2 and if 5 year warranty specified, n shall be 5. A1,A2, A3, A4& A5shall how many years CMC selected. For3 yearCMC, only A1,A2 and A3 factors are to be taken into account and A^2 will not be applicable.

8.4.CMC charges offered for each subsequent year should be same or higher than preceding year.

8.5.The CMC charges shall be offered within range of 3 to 10% of cost of equipment.

9. Since CMC charges are to be paid only later for each year during CMC period, applicable performance guarantee ar placement of contract shall be based on the cost of equipment excluding the cost of CMC Charges.

10.Performance bank guarantee applicable for CMC is to be submitted at start of the CMC and shall be applicable be to 5% as specified in bid on total CMC Charges. The PBG submitted after award of contract shall be released only after for the CMC period is submitted and accepted by buyer/consignee after due verification. Bank guarantee for CMC is to valid till completion of CMC period plus one year. The bank guarantee for CMC shall be submitted to buyer directly. It seller fails to submit the PBG or does not provide services for the CMC contract after expiry of warranty period then be equipment shall be forfeited.

11.In case of splitting of order quantity, equipment cost and CMC charges offered by L1 bidder shall be matched by I quoting eligible bidders on one-to-one basis. The equipment cost and CMC charges (year to year) shall be matched ir 12. The CMC Contract shall be an offline contract to be handled by buyer. The payment of CMC will be made on quartafter satisfactory completion of said period, duly certified by end user and scope of CMC will be as per para 1 above. 13. CMC Charges are inclusive of all the charges for Transportation, Lodging, Boarding, all insurances including third insurance and all other incidental charges. The same shall include GST. The prices also include cost of spares and daparts. Purchaser does not have any liability, whatsoever, over and above the cost of CMC. It also includes for arrangi tools & tackles, special tools etc. required to carry out the work.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares in the logisher to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws. जिम की सामान् 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग हं को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---