



North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences
(An Autonomous Institute, Ministry of Health and Family Welfare, Government of India)
Director's Block, Mawdiangdiang, Shillong 793 018 (Meghalaya)
Website: www.neigrihms.gov.in

Tender No: NEIGR/ENGG/44/2022/;

Dated: 12th December, 2022

TENDER /BID DOCUMENT

**ONLINE OPEN E- TENDER ARE INVITED FROM REGISTERED CONTRACTORS OF PWD/ PHE/ ESTATE OFFICE (GAD)/ MES/ MeECL AND EQUIVALENT CLASS OF CPWD FOR CONSTRUCTION OF SKILL CENTRE IN THE TERRACE OF THE CASUALTY AND DIAGNOSTIC BLOCK AT NEIGRIHMS
(e -Procurement)**

Bid Document Downloading Start Date:	1400 hours of 12.12.2022
Last Date and Time for Submission of Bid Document Online:	1400 hours of 28.12.2022
Last date and Time of Receipt of Earnest Money Deposit (hard copies):	1400 hours of 28.12.2022
Date and Time of Opening of Techno -Commercial Bids:	1400 hours of 29.12.2022
Cost of Earnest Money Deposit (EMD):	Rs.1,75,100/-

Bidders /Tenderers can download the tender /bid document from Central Public Procurement Portal website at www.eprocure.gov.in
Bidders /Tenderers are required to submit their bid online by uploading all the relevant documents through www.eprocure.gov.in

Tender document can also be downloaded from the Institute's website at www.neigrihms.gov.in For further details regarding amendment /addendum /extension please visit website: www.eprocure.gov.in and www.neigrihms.gov.in

In the event of the date being declared as a closed holiday for purchaser's office, the due date for submission of bids online and opening of bids online will be the following working day at the appointed time.

DETAILED TENDER NOTICE

Online tenders in two bid systems are invited from registered contractors of PWD/PHE/Estate office (GAD)/MES/MeECL and equivalent class of CPWD for the following work.

Name of work	Estimated cost (Rs) (approx)	EMD (Rs)
Construction of Skill Centre in the terrace of the Casualty and Diagnostic Block at NEIGRIHMS	Rs.87,53,693/-	Rs.1,75,100/-

General Conditions of Contract (GCC):

1. Bidders /Tenderers would be required to register on the Central Public Procurement Portal at www.eprocure.gov.in, using a valid Digital Signature Certificate (DSC) and valid email address to be able to participate in the bidding process. On registration with the Portal they will be provided with a user id and password by the system through which they can submit their bids online.
2. Digital Signature Certificate (DSC) may be obtained from any authorized agencies registered with the Certifying Authority (CA), through National Informatics Center (NIC) in India.
3. Bidders /Tenderers can download the bid document from Central Public Procurement Portal website at www.eprocure.gov.in Bidders /Tenderers are required to submit the bid online by scanning and uploading all the relevant documents through www.eprocure.gov.in
4. Tender document can also be downloaded from the Institute's website at www.neigrihms.gov.in For further details regarding Amendment /Addendum /Extension please visit website: www.eprocure.gov.in and www.neigrihms.gov.in
5. **Earnest Money Deposit (EMD) in the form of Call deposit, Banker's Cheque, Fixed deposit or Demand draft, drawn in favour of Deputy Director (Admn.), NEIGRIHMS, Shillong** or Bank Guarantee of any Scheduled Bank, shall be scanned and submitted online, along with the Techno-commercial bid (Un priced Bid), within the period of tender online submission date and time and the original (hard copy) should be sent to Executive Engineer (Civil), Director's Block, Mawdiangdiang, NEIGRIHMS, Shillong -793018 within the stipulated date and time.
6. The technical bids will be opened online by a committee of members duly constituted for the purpose at the time and date as specified in the tender document. All statements, documents, certificates, Affidavits, etc uploaded by the bidders will be verified and downloaded for technical evaluation and the result of technical bid evaluation will be displayed on www.eprocure.gov.in in which can be seen by all bidders who participated in the tender.
7. The bidders should download the **BoQ.xls** from CPP Portal and filled in the blank spaces provided for mentioning the name of bidder and rates. Bidders need not modify any other text or background shown in the BOQ template or replace it with any other copy of same **BOQ in .xls format**. NEIGRIHMS /Central Public Procurement Portal (www.eprocure.gov.in) will accept the BOQ template only and hence the rate should not be quoted in any other place except BOQ template.
8. The Financial bid (price bid) i.e. Bill of Quantity (BOQ) of only technically qualified bidders will be opened online by a committee of members and the result will be displayed on the www.eprocure.gov.in which can be seen by all bidders who participated in the tender.
9. Price evaluation will be done on Lump sum basis
10. The site is located at Mawdiangdiang
11. Time of completion: 6 (six) months from the date of issue of commencement order.
12. Contractors shall be deemed to have inspected and examined the site of work and its surroundings before submitting the tenders.
13. Tenderers will have to submit copy of their registration.
14. The contractor shall not sub-contract the work to sub-contractors or to any single sub-contractor. An undertaking by the contractor shall have to be submitted to this effect.
15. The successful contractor shall provide a performance security for his proper performance of the contract within 7 (seven) days from the date of receipt of letter of award. The performance Security shall be in the form of FD/Call Deposit to be pledged in favour of Deputy Director (Admn), NEIGRIHMS. In case the Performance Security is in the form of Bank Guarantee the same is to be sent to the Deputy Director (Admn), NEIGRIHMS in sealed envelope directly by the issuing Bank along with the forwarding letter indicating BG No. purposed of the BG, etc. The amount of the security shall be 5% (five percent) of the contract price. The performance security shall be valid until the contractor has executed and completed the works and remedied any defects therein in accordance with the contract. The Performance security shall be returned to the contractor within 14 days from the expiry of the Defect Liability period. If the contractor fails to perform the work as per terms and conditions of the contract, the performance security shall be forfeited.

16. If during the execution of the work the contractor encounters physical obstructions or physical conditions other than climatic conditions on the site, which obstructions or conditions were in his reasonable opinion not foreseeable by the contractor, the contractor shall forth with give notice thereof to the Executive Engineer (C) NEIGRIHMS. On receipt of such notice, the EE shall, in his opinion feel that such obstructions/conditions could not have been reasonably foreseen by the contractor, after due consultation with the contractor determine any extension of time with no financial bearing to which the contractor is entitled.
17. During the execution of the works, the contractor shall keep the site reasonably free from all unnecessary obstructions and shall store or depose of any contractors equipment and surplus materials and clear from the site any wreckage, rubbish or temporary works in consultation with the Sanitary Supt of the Institute.
18. Before issue of any completion certificate, the contractor shall clear away and remove from that part of the site to which the completion certificate relates all contractors' equipment, surplus material, rubbish and temporary works of every kind.
19. The contractor while employing labour should ensure that all the statutory labour laws and regulations are adhered to.
20. In the event of
 - a. The amount or nature of extra or additional work
 - b. Exceptionally adverse climatic conditions
 - c. Other special circumstances which may occur other than through a default or breach of contract by the contractor or for which he is responsible. Being such as fairly to entitle the contractor to extension of time for completion of the works or any section or part thereof, the Institute shall after due consultation with the contractor and subject to clause 11 determine the amount of such extension with no financial bearing and shall notify the contractor accordingly.
21. If the contractor fails to complete the execution and completion of the works as specified in the work order and if extension of time is granted if any in accordance with clause 16 and 20 of the GCC, the contractor shall be bound to pay as liquidated Damages a sum of 0.5 % (percent) per week of delay for such default subject to a maximum of 5 % of the contract price.
22. When whole of the works have been substantially completed, the contractor shall give a notice to the Executive Engineer (C) of the Institute, accompanied by a written undertaking to finish with due expedition any outstanding work during the defect Liability period. Such notice and undertaking shall be deemed to be a request by the contractor to the EE (C) to issue a taking over certificate.
23. Defect liability period shall be 12 (twelve) months calculated from the date of completion of the works certified by the EE (C) in the completion certificate.
24. If the contractor fails to fulfill any of the obligations under this contract, the Institute shall be at liberty to terminate the contract thereby voiding the contract and will be at liberty to allot the whole work or balance works to any other party at the risk and cost of the first party.
25. All works are to be carried out as per current specification prevailing in the state of Meghalaya (MPWD & CPWD) and when directed by the Institute.
26. **Average Annual Financial Turnover** during the last three years ending 31st March of the previous financial year should be at least **30 % of the estimated cost**. Tenderer to submit Financial Statement from Chartered Accountant as per **FORMAT – B**.
27. Parties should have the experience of having successfully completed similar works during the last 7 (seven) years ending last day of month previous to the one in which applications are invited should be either of the following: (a).**Three similar completed works each** costing not less than the amount equal to **40% of the estimated cost** or (b) **Two similar completed works each** costing not less than the amount equal to **50 % of the estimated cost** or (c) **one similar completed work** costing not less than the amount equal to **80 % of the estimated cost**. Documentary proof in the form of completion certificates only are to be enclosed failing which the tender will be non-responsive.
28. Completion Certificates should indicate the items of works executed along with the date of award of work & time of completion as per work order & actual time of completion and are to be signed by Officers not below the rank of Executive Engineers **(FORMAT –A)**
29. Running payments can be made to the contractor subject to certification by the Executive Engineer (C) after completion of about 50 % of the work and final payment will be paid after completion of the work after due certification and satisfaction of the Executive Engineer (C).
30. Parties to submit PAN Card
31. Parties to submit GST Registration
32. Parties to submit valid Labour License from Labour Department
33. Rates once accepted will not be enhanced due to variation in the rate of materials, labour and Government taxes.
34. No tools and plants will be supplied by the Institute
35. No materials will be supplied by the Institute.
36. The quoted rates shall be firm, fixed and binding on the contractor irrespective of any variation in the quantities stated in the contract upto ± 10 % variation of the contract value as a whole.
37. Successful Non –Tribal tenderers should submit the valid Trading license within 14 (fourteen) days from the date of issue of preliminary work order.

38. Any dispute arising out of the contract shall be settled by the Director, NEIGRIHMS.
39. The specifications and mode of measurement for civil works shall be in accordance with PWD/CPWD specifications unless otherwise specified.
40. In the event of responsive parties quoting same rates, the Institute reserves the right to allot the work to the bidder having higher credentials in terms of turnover, similar work experience, etc.
41. If there is any excess payment on any item etc made to the contractor, the contractor shall not hesitate to cooperate in adjusting / deducting the same from either the running bills or final bills.
42. The Institute reserves the right to accept or reject any or all tenders without assigning any reason thereof
43. All the above requirements are compulsory for fulfillment as part of the tenders failing which tenders will be rejected.
44. All documents, registrations should be valid as on the date of tender.
45. Meghalaya Value added tax / Goods and Service Tax as applicable will be deducted from the bills of the contractor.
46. Parties to submit the list of technical staff with at least one experienced Junior Engineer-Civil (Diploma). Attested copy of diploma/degree certificates to be enclosed. Undertaking in the form of affidavit to be submitted.
47. The parties to furnish an affidavit on a non-judicial stamp paper that there is no police/vigilance/CBI case pending against them.
48. Successful bidder will have to furnish an Undertaking to carry out/ execute the work in strict conformity to the specifications as mentioned in the scheduled items and guide notes of the Scheduled of Rates and Indian Standard codes of practice for materials / as per direction of the Engineer-in-charge failing which he/she shall be liable for disqualification/ blacklisted from participating in future tenders of NEIGRIHMS
49. The Party shall be responsible for the safety of all its workmen/employees during the period of execution of the work. The party shall provide all safety materials, gadgets, equipments etc to all its workmen/employees to ensure their safety during execution of the work. The Institute shall not be held responsible in case of any accidents, mishaps etc to the party and its employees
50. Any delay in completion of the works beyond the stipulated date due to reasons attributable to the contractor may eventually lead to cancellation of letter of award for which the contractor is not entitled to any compensation. The cancellation of letter of award would lead to forfeiture of performance security.
51. The contractor is to register with the Labour Department for the work and the registration certificate has to be submitted, failing which the bill cannot be processed
52. If any statutory tax/deduction/recovery is notified by the State/Central Govt, the same shall be deducted from the bill of the contractors as applicable from its effective date of coming into force.
53. The party who is allotted with the work, will have to sign on the measurement book as a token of acceptance of the measurement.
54. Contractors who engage / employ five or more Inter State Migrant Workmen is required to obtain a license from District Labour Office, East Khasi Hills, Shillong as per prevailing labour laws applicable in the State.
55. Bidders should note that the above terms and conditions will apply specifically in addition to the rules / regulations applicable to works in the Government of India.
56. All rules of GFR will be applicable
57. Wherever relevant, water charges @ 1% on the Order value will be applicable

Sd/
Executive Engineer (Civil)
NEIGRIHMS

Copy to: Accounts officer for information

Check List of documents to be submitted along with the tender:

SI No	Documents	Remarks
1	Earnest money Deposit	
2	Copy of registration	
3	Undertaking not to sub-let the work. (format enclosed with the tender)	
4	Valid Trading license in case of non-tribal contractors.	
5	Pan Card.	
6	G S T certificate	
7	Valid Labour License	
8	Documentary proof of work orders, completion certificates as specified in clause 27 of the GCC.	
9	Completion certificates as per FORMAT – A	
10	Average Annual Financial Turnover during the last three years as per FORMAT - B	
11	List of technical staff with Undertaking in the form of affidavit	
12	Affidavit of no vigilance/police/CBI case pending against them	
13	Tender Documents	

FORM OF UNDERTAKING

To

The Executive Engineer (Civil)
NEIGRIHMS

Sub: Construction of Skill Centre in the terrace of the Casualty and Diagnostic Block at NEIGRIHMS

Sir,

With reference to the above, I hereby undertake not to sublet the work cited above, if the work is allotted to me.

Date:

Name of contractor:

Signature and seal:

FORMAT - A.

1. Name of Contractor: -
2. Name of work completed: -
3. Agreement No: -
4. Name of Division in which work was executed: -
5. Tender Cost: -
6. Stipulated date of Start (as per w/o):-
7. Stipulated date of Completion (as per w/o):-
8. Actual date of Completion: -

Signature of Contractor

**Signature of Officer issuing the C/Certificate

** (Officer should not be lower than the rank of Executive Engineer – Civil)

FORMAT B

FINANCIAL STATEMENT

SL NO	FINANCIAL PERIOD	AMOUNTS IN LAKHS
1.	2019 – 2020	
2.	2020 - 2021	
3.	2021 - 2022	

SIGNATURE OF
CONTRACTOR

SIGNATURE OF
CHARTERED ACCOUNTANT

**BEFORE THE MAGISTRATE FIRST CLASS IN SHILLONG
AFFIDAVIT**

I, Shri _____, son of Shri _____ aged about _____, resident of _____
_____ do hereby solemnly affirm and declare on oath as follows:-

1. That I am a bonafide citizen of India and a permanent of the above – mentioned address.
2. That I am a registered contractor, with _____vide Reg. No. _____.
3. That there is no police / vigilance/ CBI case pending against me/ firm.
4. That I have not been blacklisted in the past by any Government or Private Organization.
5. That the instant affidavit is sworn in for the purpose of giving a declaration of the aforesaid facts and for all other purpose and intents.
6. That the statements made herein above are true to the best of my knowledge, belief and information.

DEPONENT

Solemnly affirmed and declared before me the Deponent above named who is identified by _____ Advocate, Shillong on this the _____ at Shillong.

Identified by:

MAGISTRATE FIRST CLASS
SHILLONG

(Advocate, Shillong)

Bill of Quantity

Name of the Work: - Construction of Skill Centre in the terrace of the Casualty and Diagnostic Block at NEIGRIHMS

SI No	Description	Unit	Quantity
1	Demolishing brick work including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge	Cum	27.9125
2	Demolishing R.C.C. work including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge	Cum	1.188
3	Supplying, fitting and fixing in position reinforcement bars upto 1st floor level, conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete. (Rates inclusive of all wastage, lappage, hooks, chairs, anchorage etc. and no measurement for the same is required) (B) High Yield Strength Deformed bars or Tor Bars	Qntl	26.68074
4	Steel work riveted and/ or bolted/ riveted in built up sections, frame work including cutting, hoisting, fixing in position and applying a priming coat of red- lead paint up to 4.6m height above plinth including drilling holes, supplying, fitting and fixing with bolts and nuts or welding, if necessary as directed (b) In single stanchions (columns) composed of R.S.J. or channels with caps, bases, splices, angle brackets etc	Qntl	11716.85
5	Centering and shuttering including strutting, propping etc. and removal of form for all heights complete and as directed by Engineer in charge Columns, Pillars, Piers, Abutments, Posts and Struts (using steel)	Sqm	42.24
6	Centering and shuttering including strutting, propping etc. and removal of form for all heights complete and as directed by Engineer in charge Lintels, beams, plinth beams, girders, bresssumers and cantilevers (using steel)	Sqm	131.177
7	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, fillets, columns, pillars, posts and struts etc. above plinth level up to first floor level, excluding cost of centering, shuttering, finishing and reinforcement: (b) M20 or 1:1½:3 (1 cement: 1½ coarse sand: 3 graded stone aggregate 20 mm nominal size)	Cum	15.02056
8	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	Kg	5657.77
9	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm(+0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS:277, in 240 MPa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 meter or as desired by Engineer-in-charge. The sheet shall be fixed using self-drilling/self-tapping screws of size (5.5x55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required	Sqm	429.30
10	Providing and fixing pre-coated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS:277, in 240 MPa Steel grade, 5-7microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self-drilling/ self-tapping screws complete: (a) Ridges plain (500- 600mm)	Rm	61.20
11	Half brick masonry with common burnt clay (non modular) 1st class bricks in superstructure above plinth level up to first floor level (b) Cement mortar 1:4 (1 cement:4 coarse sand)	Sqm	852.797
12	15 mm cement plaster on the rough side of single or half brick wall of mix: (a) 1:4 (1 cement: 4 fine sand)	Sqm	1761.488
13	Cement concrete floor topping 1:1:2 (1 cement: 1 coarse sand: 2 stone aggregate) finished with a floating coat of neat cement, including cement slurry, complete (b) 20 mm thick	Sqm	576.00
14	Providing Vitrified Antiskid Tiles of approved quality size, shape not less than 8mm on floor, skirting over a cement mortar bed 15mm thick of 1:3 (1 cement: 3 coarse sand) complete at all level as specified and directed (a) Normal range	Sqm	42.75
15	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS:15622 (thickness to be specified by the manufacturer), of approved make, in all colours and shades of any size as approved by Engineer-in-Charge, in walls, skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete (b) Premium range	Sqm	124.767
16	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement: 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing, etc. all complete as specified and as directed by the Engineer-in-Charge	Sqm	1.05

17	Providing and fixing Fibre Glass Reinforced plastic (FRP) Door Frames of cross-section 90x45 mm having single rebate of 32x15 mm to receive shutter of 30 mm thickness. The laminate shall be moulded with fire resistant grade unsaturated polyester resin and chopped mat. Door frame laminate shall be 2mm thick and shall be filled with suitable wooden block in all the three legs. The frame shall be covered with fibre glass from all sides. M.S. stay shall be provided at the bottom to steady the frame	Rm	108.50
18	Providing and fixing 35 mm thick factory made laminated veneer lumber door shutter conforming to IS:14616 and TADS 15:2001 (Part B) fixing with butt hinges of required size with necessary screws, all complete as per directions of Engineer- in-charge and panelling with panels of: (Note:- Butt hinges and necessary screws shall be paid separately) 12 mm thick plain grade-1, medium density flat pressed three layer particle board FPT-I or graded wood particle board FPT-I, IS:3087 marked, bonded with BWP type synthetic resin adhesive as per IS:848:	Sqm	34.125
19	Providing, fitting and fixing anodised aluminium framed double leaf glazed/laminated doors with anodised aluminium frame made of 100mm x 45mm x 2mm sections with door styles of size 81mm x 45mm x 2mm, top rails 50mm x 45mm x 2mm, lock rails 50 mm x 45mm x 2mm, bottom rails 50mm x 45mm x 2mm fitted with glazing clip, special type rubber gasket complete including hydraulic floor spring, pivot, tower bolt in each leaf, aluminium door handle, lock, angles, cleat etc. complete as specified and directed by the Department at all levels (Glass panes/laminated board included) (b) 6mm clear glass	Sqm	4.05
20	Providing, fitting and fixing anodised aluminium framed double leaf glazed/laminated doors with anodised aluminium frame made of 100mm x 45mm x 2mm sections with door styles of size 81mm x 45mm x 2mm, top rails 50mm x 45mm x 2mm, lock rails 50 mm x 45mm x 2mm, bottom rails 50mm x 45mm x 2mm fitted with glazing clip, special type rubber gasket complete including hydraulic floor spring, pivot, tower bolt in each leaf, aluminium door handle, lock, angles, cleat etc. complete as specified and directed by the Department at all levels (Glass panes/laminated board included) (f) Nepal Board/ Bhutan Board/ Pre laminated board	Sqm	4.05
21	Providing, fitting and fixing coloured anodised aluminium windows and ventilators of standard sections without horizontal glazing bars joints mitred and welded (manufactured to relevant IS specifications) fitted with 6mm x 3.15mm lugs 100mm long embedded in CC blocks 150mm x 100mm x 100mm in 1:3:6 mix including providing and fixing handles, frictions stays, joining cleat, bolting device, locking arrangement, spring catch as required complete as specified and directed for all levels (Glass panes included, Cement concrete to be measured and paid separately) (A)Side hung and Top hung openable windows and ventilators (ii) 6mm clear glass	Sqm	74.79
22	Supplying, fitting, fixing of 2mm thick PVC diddipative flooring (gerflor mipolam accord EL-7)	Sqm	639.90
23	Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS:277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia. x 50mm long with 6mm dia. bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia. x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5x25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound, jointing tapes, finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with: (C) Fully Perforated Gypsum Plaster Board of size 1200x2400x12.5 mm having approx. 15% perforated area with perforation size and pattern as approved by the Engineer-in-charge and as per manufacturer's specification, with all 4 side tapered and backed by acoustical tissue with NRC-value not less than 0.60.	Sqm	576.00
24	Providing and applying Plaster of Paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete	Sqm	1421.945
25	Providing and fixing hand rail of approved size by welding etc. to steel ladder railing, balcony railing, staircase railing and similar works, including applying priming coat of approved steel primer (a) M.S. tube	Kg	103.989
26	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: (a) New work (two or more coats over an under coat of suitable shade with ordinary paint of approved brand and manufacture)	Sqm	4.26
27	Applying one coat of water thinnable cement primer of approved brand and manufacture on surfaces: Water thinnable cement primer	Sqm	1831.388

28	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade: New work (two or more coats)	Sqm	1831.388
29	Supplying, fitting and fixing PVC pipes/bends/ Junctions etc. of Supreme/Prince or other ISI approved make, including joining ,fitting and fixing with clamps etc.as necessary complete at all levels including below G.L as directed and specified 1. PVC pipes of 6 Kg/cm2 as directed and specified (A)160mm dia.	Rm	28.00
30	Supplying, fitting and fixing PVC pipes/bends/ Junctions etc. of Supreme/Prince or other ISI approved make, including joining ,fitting and fixing with clamps etc.as necessary complete at all levels including below G.L as directed and specified 2. 87.5 degree PVC bend as directed and specified (a)160mm	Each	4
31	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete	Kg	542.88
32	Supplying and placing plastic cylindrical vertical closed top (PCVC) tank of Sintex / Polycon / Patton make over the staging with manhole cover with locking and cleaning arrangement including providing pads of size as required for inlet and outlet pipes (a) 2000 litre capacity	Each	2
33	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS:7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: (a) W.C. pan with ISI marked white solid plastic seat and lid	Each	4
34	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS:7231, with all fittings and fixtures complete (a) 10 litre capacity - White	Each	4
35	Providing and fixing white vitreous china squatting plate urinal with integral rim longitudinal flush pipe	Each	2
36	Providing and fixing white vitreous china wash basin including making all connections but excluding the cost of fittings: (a) Flat back wash basin of size 630x450 mm	Each	6
37	Supplying, fitting and fixing PVC pipes/bends/ Junctions etc. of Supreme/Prince or other ISI approved make, including joining ,fitting and fixing with clamps etc.as necessary complete at all levels including below G.L as directed and specified 1 PVC pipes of 6 Kg/cm2 as directed and specified (c) 90mm dia.	Rm	64.50
38	Supplying, fitting and fixing PVC pipes/bends/ Junctions etc. of Supreme/Prince or other ISI approved make, including joining ,fitting and fixing with clamps etc.as necessary complete at all levels including below G.L as directed and specified 2. 87.5 degree PVC bend as directed and specified (c)90mm	Each	24
39	Supplying, fitting and fixing PVC pipes/bends/ Junctions etc. of Supreme/Prince or other ISI approved make, including joining, fitting and fixing with clamps etc. as necessary complete at all levels including below G.L as directed and specified 5. PVC Plain single tee as directed and specified (c)90mm	Each	6
40	Providing fitting and fixing Mirror with plastic frame of size 500x400mm complete as directed and specified.	Each	6
41	Providing, fitting and fixing Chrome Plated TOILET PAPER holder complete as directed and specified.(a)Normal	Each	4
42	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge Internal work - Exposed on wall (vi) 50 mm nominal outer diameter Pipes	Rm	79.50
43	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge Internal work - Exposed on wall (iii) 25 mm nominal outer diameter Pipes	Rm	88.50
44	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge Internal work - Exposed on wall (ii) 20 mm nominal outer diameter Pipes	Rm	35.00
45	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931: (a) 15 mm nominal bore	Each	6

Note: Price evaluation will be done on Lump sum basis