



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/5590467  
Dated/दिनांक : 11-11-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	02-12-2024 13:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	02-12-2024 13:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	30 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Health And Family Welfare
Department Name/विभाग का नाम	Department Of Health And Family Welfare
Organisation Name/संगठन का नाम	North Eastern Indira Gandhi Regional Institute Of Health And Medical Sciences (neigrihms)
Office Name/कार्यालय का नाम	Neigrihms, Shillong
Total Quantity/कुल मात्रा	6700
Item Category/मद केटेगरी	Blood Bags as per IS 15102 (Q2)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	3 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	3 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer

<b>Bid Details/बिड विवरण</b>	
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	No
<b>Past Performance/विगत प्रदर्शन</b>	30 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Blood Bags as per IS 15102
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	3 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

#### **EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	Bank Of Baroda
EMD Amount/ईएमडी राशि	40733

#### **ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता	No
-------------------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### **Beneficiary/लाभार्थी :**

Incharge Central Stores

Neigrihms, Shillong, Department of Health and Family Welfare, North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences (NEIGRIHMS), Ministry of Health and Family Welfare  
(Eugenia Winty Nora Malngiang)

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012

and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### **Blood Bags As Per IS 15102 ( 3000 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### **Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

<b>Specification</b>	<b>Specification Name/विशिष्टि का नाम</b>	<b>Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य</b>
GENERAL FEATURES	Clinical Purpose	Collection, processing and storage of whole blood and blood components
	Disposable	Yes
PRODUCT INFORMATION	Conformity to standard for Blood Bag	ISO 3826/IS 15102: Latest Revision
	<b>Type of blood bag</b>	Quadruple (top and bottom)
	<b>Capacity of blood Bag</b>	350 ml, 450 ml
	Material of Bag (Medical grade)	DEHP Plasticized PVC, Transparent Polymer - Polyethelene
	Blood Collection Bags should be collapsible non vented sterile containers complete with collecting tube for completely closed system to avoid the chances of contamination	Yes
	Flexible pre-sterilized and pyrogen free	Yes
	Non toxic, non haemolytic, biocompatible material	Yes
	There should be no risk of contamination and air embolism (closed system) with all leak proof seals (Disposable bags)	Yes
	Slit on both sides of the bags should be enough to accommodate 5 -10 ml volume test tubes	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	The capacity of the bag should be enough to prevent any ballooning/riptide of the abg from the seam when it is filled up with the requisite volume of blood	Yes
TUBING OF BAG	Flexible kink resistant tubing	Yes
	Non sticking	Yes
	Transparent	Yes
	Leak Proof	Yes
	Length of tubing from primary bag to needle	? 80 Cm
	The tubing should have same ID/segment number as that on the bag	Yes
	The tubes should have multiple printed ID/segment numbers	Yes
	Clamp provided for closed system	Yes
NEEDLE	Needle Size	16 G
	Ultra thin walled and straight to reduce penetration force and enable painless vein puncture	Yes
	Sharp, regular and smooth margins and bevelled tip	Yes
	Rust proof	Yes
	Tightly fixed with hub covered with sterile guard	Yes
	Hermetically sealed	Yes
	The needle should not separate from the tube at any point of time, especially while removing it from the vein for donor safety	Yes
	The needle must confirm to ISO 1135-3 standard	Yes
EXTERNAL PORT	Tamper proof and should not be re-capped	Yes
	Easily accessible	Yes
ANTICAOGULANT AND PRESERVATIVE SOLUTION	<b>Type of anticoagulant present</b>	CPDA-1, CPD
	Quantity of anticoagulant solution	14 ml per 100 ml of blood

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Solution should be clear and colorless	Yes
	There should be no discoloration of solution on storage at room temperature	Yes
	<b>Additive solution present</b>	Yes
	<b>Type of additive solution</b>	SAGM
	<b>Quantity of Additive solution(ml)</b>	80, 100
	Anticoagulant and/or additive solution should be sterile and pyrogen free	Yes
	Availability of anticoagulant/additive quality check certificate from manufacture (proof of same to be submitted to buyer)	Yes
LABEL	Non-peel off	Yes
	Heat sealed/ Pressure embossed label	Yes
	The label should remain attached between room temperature to - 80°C with a transparent adhesive	Yes
	Date of manufacturing, date of expiry and batch number must be mentioned on each bag	Yes
RESISTANCE TO DISTORTION	Bag (Filled to normal capacity) shall withstand a acceleration of 5000 g for 30 min at temperature 4°C to 24°C without becoming permanently distorted	Yes
	Bag (Filled to normal capacity) should be able to withstand temperature upto - 80°C without breakage	Yes
PACKAGING	Individual bag packed in plastic pack and multiple bags packed in moisture proof aluminum foil (Protective dual packaging) eliminating microbial contamination on surface maintaining the contents of the bag	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	The supplier should ensure proper transportation of the consignment of blood bags in temperature controlled conditions (Storage temperature should not exceed 30°C)	Yes
CERTIFICATIONS & REPORTS	Availability of valid drug license issued from competent authority defined under Drugs and Cosmetics Act, 1940 (Proof of the same to be submitted to buyer on demand)	For Manufacture, For Sale
	<b>Manufacturer certifications (Proof of the same to be submitted to the buyer on demand)</b>	ISO 13485, GMP, WHO GMP
	<b>Product Certifications (Proof of the same to be submitted to buyer on demand)</b>	ISO, BIS, EU-CE
	Four digit number of notified body If product is EU-CE certified	1639, 2460
	Each batch supplied should be accompanied with quality assurance test report from NABL approved lab/any lab approved from govt of India as well as in house lab	Yes
	Biocompatibility of the material of the product must certified by the manufacturer and be supported by the test reports of cell culture cytotoxicity, hemolysis, systemic infections, sensitization, Intra-cutaneous injection, pyrogen test and Sterility	Yes
	Submission of manufacturer's documented evidence of biochemical parameters of blood stored in CPDA/CPDA-1/CPD-SAGM containing DEHP plasticized PVC blood bags manufactured by the company on 28th/35th/42nd day of storage	Yes
SHELF LIFE	<b>Shelf Life from the date of manufacture (in months)</b>	24

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Stability report from a recognized laboratory must be submitted to the buyer at the time of supply	Yes
	The product should have atleast 3/4 of the total shelf life at the time of dispatch to the consignee	Yes

#### Additional Specification Parameters - Blood Bags As Per IS 15102 ( 3000 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Diversion pouch is mandatory	Diversion pouch is mandatory with multiple devices and should have the following points: 1) For safe blood inline sampling. 2) Diversion pouch and lunar adapter holder to be integrated with primary collection. 3) Tube for maintaining sterility of the collected blood and sample collection.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारंभ होने की तारीख से दिनों की संख्या में )		
1	W.Shanborlang Swer	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	Quantity/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी तक पूरी कर ली जाए
			1500	1	40
			1500	160	180

#### Blood Bags As Per IS 15102 ( 3600 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ



\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL FEATURES	Clinical Purpose	Collection, processing and storage of whole blood and blood components
	Disposable	Yes
PRODUCT INFORMATION	Conformity to standard for Blood Bag	ISO 3826/IS 15102: Latest Revision
	<b>Type of blood bag</b>	Quadruple (top and bottom)
	<b>Capacity of blood Bag</b>	450 ml
	Material of Bag (Medical grade)	DEHP Plasticized PVC, Transparent Polymer - Polyethelene
	Blood Collection Bags should be collapsible non vented sterile containers complete with collecting tube for completely closed system to avoid the chances of contamination	Yes
	Flexible pre-sterilized and pyrogen free	Yes
	Non toxic, non haemolytic, biocompatible material	Yes
	There should be no risk of contamination and air embolism (closed system) with all leak proof seals (Disposable bags)	Yes
	Slit on both sides of the bags should be enough to accommodate 5 -10 ml volume test tubes	Yes
	The capacity of the bag should be enough to prevent any ballooning/rupture of the abg from the seam when it is filled up with the requisite volume of blood	Yes
TUBING OF BAG	Flexible kink resistant tubing	Yes
	Non sticking	Yes
	Transparent	Yes
	Leak Proof	Yes
	Length of tubing from primary bag to needle	? 80 Cm
	The tubing should have same ID/segment number as that on the bag	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	The tubes should have multiple printed ID/segment numbers	Yes
	Clamp provided for closed system	Yes
NEEDLE	Needle Size	16 G
	Ultra thin walled and straight to reduce penetration force and enable painless vein puncture	Yes
	Sharp, regular and smooth margins and bevelled tip	Yes
	Rust proof	Yes
	Tightly fixed with hub covered with sterile guard	Yes
	Hermetically sealed	Yes
	The needle should not separate from the tube at any point of time, especially while removing it from the vein for donor safety	Yes
	The needle must confirm to ISO 1135-3 standard	Yes
EXTERNAL PORT	Tamper proof and should not be re-capped	Yes
	Easily accessible	Yes
ANTICAOGULANT AND PRESERVATIVE SOLUTION	<b>Type of anticoagulant present</b>	CPDA-1, CPD
	Quantity of anticoagulant solution	14 ml per 100 ml of blood
	Solution should be clear and colorless	Yes
	There should be no discoloration of solution on storage at room temperature	Yes
	<b>Additive solution present</b>	Yes
	<b>Type of additive solution</b>	SAGM
	<b>Quantity of Additive solution(ml)</b>	100
	Anticoagulant and/or additive solution should be sterile and pyrogen free	Yes
	Availability of anticoagulant/additive quality check certificate from manufacture (proof of same to be submitted to buyer)	Yes

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
LABEL	Non-peel off	Yes
	Heat sealed/ Pressure embossed label	Yes
	The label should remain attached between room temperature to - 80°C with a transparent adhesive	Yes
	Date of manufacturing, date of expiry and batch number must be mentioned on each bag	Yes
RESISTANCE TO DISTORTION	Bag (Filled to normal capacity) shall withstand a acceleration of 5000 g for 30 min at temperature 4°C to 24°C without becoming permanently distorted	Yes
	Bag (Filled to normal capacity) should be able to withstand temperature upto - 80°C without breakage	Yes
PACKAGING	Individual bag packed in plastic pack and multiple bags packed in moisture proof aluminum foil (Protective dual packaging) eliminating microbial contamination on surface maintaining the contents of the bag	Yes
	The supplier should ensure proper transportation of the consignment of blood bags in temperature controlled conditions (Storage temperature should not exceed 30°C)	Yes
CERTIFICATIONS & REPORTS	Availability of valid drug license issued from competent authority defined under Drugs and Cosmetics Act, 1940 (Proof of the same to be submitted to buyer on demand)	For Manufacture, For Sale
	<b>Manufacturer certifications (Proof of the same to be submitted to the buyer on demand)</b>	ISO 13485, GMP, WHO GMP
	<b>Product Certifications (Proof of the same to be submitted to buyer on demand)</b>	ISO, BIS, EU-CE

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Four digit number of notified body If product is EU-CE certified	1639, 2460
	Each batch supplied should be accompanied with quality assurance test report from NABL approved lab/any lab approved from govt of India as well as in house lab	Yes
	Biocompatibility of the material of the product must certified by the manufacturer and be supported by the test reports of cell culture cytotoxicity, hemolysis, systemic infections, sensitization, Intra-cutaneous injection, pyrogen test and Sterility	Yes
	Submission of manufacturer's documented evidence of biochemical parameters of blood stored in CPDA/CPDA-1/CPD-SAGM containing DEHP plasticized PVC blood bags manufactured by the company on 28th/35th/42nd day of storage	Yes
SHELF LIFE	<b>Shelf Life from the date of manufacture (in months)</b>	24
	Stability report from a recognized laboratory must be submitted to the buyer at the time of supply	Yes
	The product should have atleast 3/4 of the total shelf life at the time of dispatch to the consignee	Yes

**Additional Specification Parameters - Blood Bags As Per IS 15102 ( 3600 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Diversion pouch is mandatory	Diversion pouch is mandatory with multiple sampling devices and should have the following points: 1) For safe inline Blood sampling 2) Diversion pouch and lunar adapter holder to be integrated with primary collection 3) Tube for maintaining sterility of the collected blood and sample collection.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारम्भ होने की तारीख से दिनों की संख्या में )		
1	W.Shanborlang Swer	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong	Quantity/मात्रा	Delivery to start after/प्रारम्भ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____ तक पूरी कर ली जाए
			1800	1	40
			1800	160	180

**Blood Bags As Per IS 15102 ( 100 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
PRODUCT INFORMATION	Type of blood bag	Single
	Capacity of blood Bag	450 ml
ANTICAOGULANT AND PRESERVATIVE SOLUTION	Type of anticoagulant present	CPDA-1, CPD
	Additive solution present	Yes, No
	Type of additive solution	SAGM, NA
	Quantity of Additive solution(ml)	80, 100, NA
CERTIFICATIONS & REPORTS	Manufacturer certifications (Proof of the same to be submitted to the buyer on demand)	ISO 13485, GMP, WHO GMP
	Product Certifications (Proof of the same to be submitted to buyer on demand)	ISO, BIS, EU-CE, US-FDA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
SHELF LIFE	Shelf Life from the date of manufacture (in months)	24, 30, 36

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Delivery Schedule/डिलीवरी अनुसूची (In number of days from contract start days/अनुबंध प्रारंभ होने की तारीख से दिनों की संख्या में )		
			Quantity/मात्रा	Delivery to start after/प्रारंभ होने की तारीख से डिलीवरी	Delivery to be completed by/डिलीवरी _____ तक पूरी कर ली जाए
1	W.Shanborlang Swer	793018,P.O. NEIGRIHMS, Mawdiangdiang, Shillong			
			50	1	40
			50	160	180

**Special terms and conditions-Version:2 effective from 20-10-2022 for category Blood Bags as per IS 15102**

1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
4. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e., ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

1. Authorised Service Centre within the state of Odisha, along with a dedicated contact person with telephone number for technical solution in a fast track basis at this institution as and when required basis.
2. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
3. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
4. Make in india specific authorisation certificate needs to be enclosed.
5. **Generic**

**Bidder financial standing:** The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

6. **Generic**

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

7. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

8. **Turnover**

**Bidder Turn Over Criteria:** The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

9. **Turnover**

**OEM Turn Over Criteria:** The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

10. **OEM**

**IMPORTED PRODUCTS:** In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

11. **Purchase Preference (Centre)**

**Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1

price and contract will be awarded for percentage of 25% of total value.

## 12. **Purchase Preference (Centre)**

Purchase Preference linked with Local Content (PP-LC) Policy:

The bid clause regarding "Preference to Make In India products" stands modified in this bid and shall be governed by the PPLC Policy No. FP-20013/2/2017-FP-PNG dated 17.11.2020 issued by MoP&NG as amended up to date. Accordingly, bidders with Local Content less than or equal to 20% will be treated as "Non Local Supplier". The prescribed LC shall be applicable on the date of Bid opening. Sanctions on the bidders for false / wrong declaration or not fulfilling the Local Content requirement shall be as per the PPLC policy. Further following additional provisions are added in the certification and verification of local content provision of the Preference to Make in India clause:

- i. In case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practicing cost accountant or practicing chartered accountant giving the percentage of local content is also acceptable.
- ii. Along with Each Invoice: The local content certificate (issued by statutory auditor on behalf of procuring company) shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
- iii. The bidder shall submit an undertaking from the authorized signatory of bidder having the Power of Attorney along with the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.

## 13. **Purchase Preference (Centre)**

Purchase Preference linked with Local Content (PP-LC) Policy:

The bid clause regarding "Preference to Make In India products" stands modified in this bid and shall be governed by the PPLC Policy No. FP-20013/2/2017-FP-PNG dated 17.11.2020 issued by MoP&NG as amended up to date. Accordingly, bidders with Local Content less than or equal to 20% will be treated as "Non Local Supplier". The prescribed LC shall be applicable on the date of Bid opening. Sanctions on the bidders for false / wrong declaration or not fulfilling the Local Content requirement shall be as per the PPLC policy. Further following additional provisions are added in the certification and verification of local content provision of the Preference to Make in India clause:

- i. In case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practicing cost accountant or practicing chartered accountant giving the percentage of local content is also acceptable.
- ii. Along with Each Invoice: The local content certificate (issued by statutory auditor on behalf of procuring company) shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
- iii. The bidder shall submit an undertaking from the authorized signatory of bidder having the Power of Attorney along with the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.

## 14. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

## 15. **Certificates**



ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

#### 16. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

#### 17. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 18. **Past Project Experience**

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

#### 19. **Past Project Experience**

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

#### 20. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Submit samples of offered stores for demonstration to ASO /In -Charge Central Store NEIGRIHMS ( Tel ph n o- 0364-2539210) with closing date failing which e-bid shall not be evaluated.Submit product detailed information ( catalogues/brochures/photographs with size and dimensions)

#### 21. **Generic**

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

#### 22. **Generic**

**OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**