

## North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences (An Autonomous Institute, Ministry of Health and Family Welfare, Government of India) Director's Block, Mawdiangdiang, Shillong 793 018 (Meghalaya)

Website: www.neigrihms.gov.in

Tender No: NEIGR/ENGG/92/2023/; Dated: 22<sup>nd</sup> November, 2023

#### **TENDER /BID DOCUMENT**

# ONLINE OPEN E- TENDER ARE INVITED FROM REGISTERED CONTRACTORS OF PWD/ PHE/ ESTATE OFFICE (GAD)/ MES/ MeECL AND EQUIVALENT CLASS OF CPWD FOR CONSTRUCTION OF STORE IN THE RCC

(e -Procurement)

Bid Document Downloading Start Date:	1400 hours of 23.11.2023
Last Date and Time for Submission of Bid Document Online:	1400 hours of 11.12.2023
Last date and Time of Receipt of Earnest Money Deposit (hard copies):	1400 hours of 11.12.2023
Date and Time of Opening of Techno -Commercial Bids:	1400 hours of 12.12.2023
Cost of Earnest Money Deposit (EMD):	Rs.23,700.00

Bidders /Tenderers can download the tender /bid document from Central Public Procurement Portal website at <a href="www.eprocure.gov.in">www.eprocure.gov.in</a>
Bidders /Tenderers are required to submit their bid online by uploading all the relevant documents through <a href="www.eprocure.gov.in">www.eprocure.gov.in</a>

Tender document can also be downloaded from the Institute's website at <a href="www.neigrihms.gov.in">www.neigrihms.gov.in</a> For further details regarding amendment /addendum /extension please visit website: <a href="www.eprocure.gov.in">www.eprocure.gov.in</a> and <a href="www.neigrihms.gov.in">www.neigrihms.gov.in</a>

In the event of the date being declared as a closed holiday for purchaser's office, the due date for submission of bids online and opening of bids online will be the following working day at the appointed time.

#### **DETAILED TENDER NOTICE**

Online tenders in two bid systems are invited from registered contractors of PWD/PHE/Estate office (GAD)/MES/MeECL and equivalent class of CPWD for the following work.

Name of work	Estimated cost (Rs) (approx)	EMD (Rs)
Construction of Store in the RCC	Rs.11,84,584/-	Rs.23,700/-

#### **General Conditions of Contract (GCC):**

- 1. Bidders /Tenderers would be required to register on the Central Public Procurement Portal at <a href="www.eprocure.gov.in">www.eprocure.gov.in</a>, using a valid Digital Signature Certificate (DSC) and valid email address to be able to participate in the bidding process. On registration with the Portal they will be provided with a user id and password by the system through which they can submit their bids online.
- 2. Digital Signature Certificate (DSC) may be obtained from any authorized agencies registered with the Certifying Authority (CA), through National Informatics Center (NIC) in India.
- 3. Bidders /Tenderers can download the bid document from Central Public Procurement Portal website at <a href="www.eprocure.gov.in">www.eprocure.gov.in</a>
  Bidders /Tenderers are required to submit the tender documents online by scanning and uploading all the relevant documents through <a href="www.eprocure.gov.in">www.eprocure.gov.in</a>
- 4. Tender document can also be downloaded from the Institute's website at <a href="www.neigrihms.gov.in">www.neigrihms.gov.in</a> For further details regarding Amendment /Addendum /Extension please visit website: <a href="www.eprocure.gov.in">www.eprocure.gov.in</a> and <a href="www.neigrihms.gov.in">www.neigrihms.gov.in</a>
- 5. Earnest Money Deposit (EMD) in the form of Call deposit, Banker's Cheque, Fixed deposit or Demand draft, drawn in favour of Deputy Director (Admn.), NEIGRIHMS, Shillong or Bank Guarantee of any Scheduled Bank, shall be scanned and submitted online, along with the Techno-commercial bid (Un priced Bid), within the period of tender online submission date and time and the original (hard copy) should be dropped in the tender box in the Engineering Section, Director's Block, Mawdiangdiang, NEIGRIHMS, Shillong -793018 within the stipulated date and time.
- 6. The technical bids will be opened online by a committee of members duly constituted for the purpose at the time and date as specified in the tender document. All statements, documents, certificates, Affidavits, etc uploaded by the bidders will be verified and downloaded for technical evaluation and the result of technical bid evaluation will be displayed on <a href="https://www.eprocure.gov.in">www.eprocure.gov.in</a>.in which can be seen by all bidders who participated in the tender.
- 7. The bidders should download the <u>BoQ.xls</u> from CPP Portal and filled in the blank spaces provided for mentioning the name of bidder and rates. Bidders need not modify any other text or background shown in the BOQ template or replace it with any other copy of same <u>BOQ in .xls format</u>. NEIGRIHMS /Central Public Procurement Portal (<u>www.eprocure.gov.in</u>) will accept the BOQ template only and hence the rate should not be quoted in any other place except BOQ template.
- 8. The Financial bid (price bid) i.e. Bill of Quantity (BOQ) of only technically qualified bidders will be opened online by a committee of members and the result will be displayed on the <a href="www.eprocure.gov.in">www.eprocure.gov.in</a> which can be seen by all bidders who participated in the tender.
- 9. Contractor shall quote the rate of AT PAR or ABOVE the Meghalaya PWD Schedule of Rates for buildings 2021 22 and for Roads 2020 21 and as per prevailing market rate for the Non Schedule Items
- 10. The site is located at Mawdiangdiang
- 11. Time of completion: 2 (two) months from the date of issue of commencement order.
- 12. Contractors shall be deemed to have inspected and examined the site of work and its surroundings before submitting the tenders.
- 13. Tenderers will have to submit copy of their registration.
- 14. The contractor shall not sub-contract the work to sub-contractors or to any single sub-contractor. An undertaking by the contractor shall have to be submitted to this effect.
- 15. The successful contractor shall provide a performance security for his proper performance of the contract within 7 (seven) days from the date of receipt of letter of award. The performance Security shall be in the form of FD/Call Deposit to be pledged in favour of Deputy Director (Admn), NEIGRIHMS. In case the Performance Security is in the form of Bank Guarantee the same is to be sent to the Deputy Director (Admn), NEIGRIHMS in sealed envelope directly by the issuing Bank along with the forwarding letter indicating BG No. purposed of the BG, etc. The amount of the security shall be 5% (five percent) of the contract price. The performance security shall be valid until the contractor has executed and completed the works and remedied any defects therein in accordance with the contract. The Performance security shall be returned to the contractor within 14 days from the expiry of the Defect Liability period. If the contractor fails to perform the work as per terms and conditions of the contract, the performance security shall be forfeited.

- 16. If during the execution of the work the contractor encounters physical obstructions or physical conditions other than climatic conditions on the site, which obstructions or conditions were in his reasonable opinion not foreseeable by the contractor, the contractor shall forth with give notice thereof to the Executive Engineer (C) NEIGRIHMS. On receipt of such notice, the EE shall, in his opinion feel that such obstructions/conditions could not have been reasonably foreseen by the contractor, after due consultation with the contractor determine any extension of time with no financial bearing to which the contractor is entitled.
- 17. During the execution of the works, the contractor shall keep the site reasonably free from all unnecessary obstructions and shall store or depose of any contractors equipment and surplus materials and clear from the site any wreckage, rubbish or temporary works in consultation with the Sanitary Supt of the Institute.
- 18. Before issue of any completion certificate, the contractor shall clear away and remove from that part of the site to which the completion certificate relates all contractors' equipment, surplus material, rubbish and temporary works of every kind.
- 19. The contractor while employing labour should ensure that all the statutory labour laws and regulations are adhered to.
- 20. In the event of
  - a. The amount or nature of extra or additional work
  - b. Exceptionally adverse climatic conditions
  - c. Other special circumstances which may occur other than through a default or breach of contract by the contractor or for which he is responsible. Being such as fairly to entitle the contractor to extension of time for completion of the works or any section or part thereof, the Institute shall after due consultation with the contractor and subject to clause 11 determine the amount of such extension with no financial bearing and shall notify the contractor accordingly.
- 21. If the contractor fails to complete the execution and completion of the works as specified in the work order and if extension of time is granted if any in accordance with clause 16 and 20 of the GCC, the contractor shall be bound to pay as liquidated Damages a sum of 0.5 % (percent) per week of delay for such default subject to a maximum of 5 % of the contract price.
- 22. When whole of the works have been substantially completed, the contractor shall give a notice to the Executive Engineer (C) of the Institute, accompanied by a written undertaking to finish with due expedition any outstanding work during the defect Liability period. Such notice and undertaking shall be deemed to be a request by the contractor to the EE (C) to issue a taking over certificate.
- 23. Defect liability period shall be 12 (twelve) months calculated from the date of completion of the works certified by the EE (C) in the completion certificate.
- 24. If the contractor fails to fulfill any of the obligations under this contract, the Institute shall be at liberty to terminate the contract thereby voiding the contract and will be at liberty to allot the whole work or balance works to any other party at the risk and cost of the first party.
- 25. All works are to be carried out as per current specification prevailing in the state of Meghalaya (MPWD & CPWD) and when directed by the Institute.
- Average Annual Financial Turnover during the last three years ending 31st March of the previous financial year should be at least 30 % of the estimated cost. Tenderer to submit Financial Statement from Chartered Accountant as per FORMAT B.
- 27. Parties should have the experience of having successfully completed similar works during the last 7 (seven) years ending last day of month previous to the one in which applications are invited should be either of the following: (a). Three similar completed works each costing not less than the amount equal to 40% of the estimated cost or (b) Two similar completed works each costing not less than the amount equal to 50 % of the estimated cost or (c) one similar completed work costing not less than the amount equal to 80 % of the estimated cost. Documentary proof in the form of completion certificates only are to be enclosed failing which the tender will be non-responsive.
- 28. Completion Certificates should indicate the items of works executed along with the date of award of work & time of completion as per work order & actual time of completion and are to be signed by Officers not below the rank of Executive Engineers (FORMAT –A)
- 29. Running payments can be made to the contractor subject to certification by the Executive Engineer (C) after completion of about 50 % of the work and final payment will be paid after completion of the work after due certification and satisfaction of the Executive Engineer (C).
- 30. Parties to submit PAN Card
- 31. Parties to submit GST Registration
- 32. Parties to submit valid Labour License from Labour Department
- 33. Rates once accepted will not be enhanced due to variation in the rate of materials, labour and Government taxes.
- 34. No tools and plants will be supplied by the Institute
- 35. No materials will be supplied by the Institute.
- 36. The quoted rates shall be firm, fixed and binding on the contractor irrespective of any variation in the quantities stated in the contract upto ± 15 % variation of the contract value as a whole.
- 37. Successful Non –Tribal tenderers should submit the valid Trading license within 14 (fourteen) days from the date of issue of preliminary work order, failing which the order shall be withdrawn at their risk and responsibility.

- Any dispute arising out of the contract shall be settled amicably by the Director, NEIGRIHMS, whose decision will be final and binding. In the event the parties are not satisfied they may approach the court of law within the jurisdiction of Shillong only.
- 39. The specifications and mode of measurement for civil works shall be in accordance with PWD/CPWD specifications unless otherwise specified.
- 40. In the event of responsive parties quoting same rates, the **Institute reserves the right to allot the work to the bidder having higher / highest credentials in terms of similar work experience**, etc.
- 41. If there is any excess payment on any item etc made to the contractor, the contractor shall not hesitate to cooperate in adjusting / deducting the same from either the running bills or final bills.
- 42. The Institute reserves the right to accept or reject any or all tenders without assigning any reason thereof
- 43. All the above requirements are compulsory for fulfillment as part of the tenders failing which tenders will be rejected.
- 44. All documents, registrations should be valid as on the date of tender.
- 45. Meghalaya Value added tax / Goods and Service Tax as applicable will be deducted from the bills of the contractor.
- 46. Parties to submit the list of technical staff with at least one experienced Junior Engineer-Civil (Diploma). Attested copy of diploma/degree certificates to be enclosed. Undertaking in the form of affidavit to be submitted.
- 47. The parties to furnish an affidavit on a non-judicial stamp paper that there is no police/vigilance/CBI case pending against them.
- 48. Successful bidder will have to furnish an Undertaking to carry out/ execute the work in strict conformity to the specifications as mentioned in the scheduled items and guide notes of the Scheduled of Rates and Indian Standard codes of practice for materials / as per direction of the Engineer-in-charge failing which he/she shall be liable for disqualification/ blacklisted from participating in future tenders of NEIGRIHMS
- 49. The Party shall be responsible for the safety of all its workmen/employees during the period of execution of the work. The party shall provide all safety materials, gadgets, equipments etc to all its workmen/employees to ensure their safety during execution of the work. The Institute shall not be held responsible in case of any accidents, mishaps etc to the party and its employees
- 50. Any delay in completion of the works beyond the stipulated date due to reasons attributable to the contractor may eventually lead to cancellation of letter of award for which the contractor is not entitled to any compensation. The cancellation of letter of award would lead to forfeiture of performance security.
- 51. The contractor is to register with the Labour Department for the work and the registration certificate has to be submitted, failing which the bill cannot be processed
- 52. If any statutory tax/deduction/recovery is notified by the State/Central Govt, the same shall be deducted from the bill of the contractors as applicable from its effective date of coming into force.
- 53. The party who is allotted with the work, will have to sign on the measurement book as a token of acceptance of the measurement.
- Contractors who engage / employ five or more Inter State Migrant Workmen is required to obtain a license from District Labour Office, East Khasi Hills, Shillong as per prevailing labour laws applicable in the State.
- 55. Bidders should note that the above terms and conditions will apply specifically in addition to the rules / regulations applicable to works in the Government of India.
- 56. All rules of GFR will be applicable
- 57. Wherever relevant, water charges @ 1% on the Order value will be as applicable

Sd/ Executive Engineer (Civil) NEIGRIHMS

Copy to: Accounts officer for information

#### Check List of documents to be submitted along with the tender:

SI No	Documents	Remarks
1	Earnest money Deposit	
2	Copy of registration	
3	Undertaking not to sub-let the work. (format enclosed with the tender)	
4	Valid Trading license in case of non-tribal contractors.	
5	Pan Card.	
6	GST certificate	
7	Valid Labour License	
8	Documentary proof of work orders, completion certificates as specified in clause 27 of the GCC.	
9	Completion certificates as per FORMAT – A	
10	Average Annual Financial Turnover during the last three years as per FORMAT - B	
11	List of technical staff with Undertaking in the form of affidavit (Degree/Diploma certificate to be enclosed)	
12	Affidavit of no vigilance/police/CBI case pending against them	

#### **FORM OF UNDERTAKING**

То	
	The Executive Engineer (Civil) NEIGRIHMS
Sub:	Construction of Store in the RCC
Sir, allotted to me.	With reference to the above, I hereby undertake not to sublet the work cited above, if the work is
Date:	Name of contractor: Signature and seal:

#### FORMAT - A.

1.	Name of Contractor:
2.	Name of work completed:
3.	Agreement No:
4.	Name of Division in which work was executed:
5.	Tender Cost:
6.	Stipulated date of Start (as per w/o):
7.	Stipulated date of Completion (as per w/o):
8.	Actual date of Completion: -

Signature of Contractor

<sup>\*\*</sup>Signature of Officer issuing the C/Certificate

\*\* (Officer should not be lower than the rank of Executive Engineer – Civil)

#### FORMAT B

#### FINANCIAL STATEMENT

SL NO	FINANCIAL PERIOD	AMOUNTS IN LAKHS
1.	2020 - 2021	
2.	2021 - 2022	
3.	2022 - 2023	

SIGNATURE OF CONTRACTOR

SIGNATURE OF CHARTERED ACCOUNTANT

### BEFORE THE MAGISTRATE FIRST CLASS IN SHILLONG AFFIDAVIT

	l,	Shri							,	son		of	Shri
	-						aged	about			,	resident	of
				do	hereby sole	mnly affirm	and de	clare on c	ath as follo	ows:-			
1.	That I am a	bonafide	citizen of Ind	lia and a <sub>l</sub>	permanent of	f the above	– ment	ioned add	ress.				
2.	That I	am	a regi	istered	contractor 	, with					_vide	Reg.	No.
3.	That there is	no polic	e / vigilance/	CBI case	e pending aga	ainst me/ fir	m.						
4.	That I have	not been	blacklisted in	n the past	by any Gove	ernment or F	Private	Organizat	ion.				
5.	That the ins intents.	tant affid	avit is sworn	in for the	purpose of (	giving a dec	claration	n of the at	oresaid fac	cts and fo	or all o	ther purpose	e and
6.	That the sta	tements	made herein	above are	e true to the l	best of my k	nowled	lge, belief	and inform	nation.			
								DEP	ONENT				
Solemnly	affirmed	and	declared	before	me tl	he Depo long on this		above	named	who	is	identified at Shillon	by g.
Identified	l by:												
						MAGIS <sup>*</sup>	TRATE	FIRST C	LASS				
(Advocat	e, Shillong)						SHIL	LONG					
, woodi	o, oriniong)												

#### Bill of Quantity

#### Name of the Work: - Construction of Store in the RCC

SI No	Description	Unit	Quantity
1	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1stquality conforming to IS:15622, of approved make, in all colours and shades laid on 20 mm thick bed of cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry@ 3.3 kg/sqm including pointing the joints with white cement and matching pigments etc., complete	Sqm	236.515
2	Demolishing brick work including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge	Cum	1.8375
3	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS:733 and IS:1285, fixing with dash fasteners of required diameter and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing/ panelling, C.P. brass/ stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, and panellingto be paid for separately) (a) For fixed portion (i) Anodised aluminium (anodised transparent or dyed to required shade according to IS:1868, Minimum anodic coating of grade AC 15)	Kgs	384.202
4	Providing and fixing 12 mm thick pre-laminated particle board flat pressed three layer or graded wood particle board conforming to IS:12823 Grade-I Type-II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass/ stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge (a) Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side	Sqm	41.525
5	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber/ neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge (c) With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	Sqm	67.80
6	Supplying, fitting and fixing in position reinforcement bars upto 1stfloor level, conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete. (Rates inclusive of all wastage, lappage, hooks, chairs, anchorage etc. and no measurement for the same is required) (b) High Yield Strength Deformed bars or Tor Bars	Qntl	1.80834
7	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.  (a) Using M.S. angels 40x40x6 mm for diagonal braces	Sqm	2.10
8	Reinforced cement concrete work in beams, slabs, roofs having slope up to 15o,landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to first floor level, excluding the cost of centering, shuttering, finishing and reinforcement  (a) M15 or Prop. 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size)	Cum	1.125
9	Half brick masonry with common burnt clay (non modular) 1stclass bricks in superstructure above plinth level up to first floor level  (a) Cement mortar 1:3 (1 cement:3 coarse sand)	Sqm	50.995
10	15 mm cement plaster on rough side of single or half brick wall finished with a floating coat of neat cement of mix (a) 1:3 (1 cement: 3 fine sand)	Sqm	368.474
11	Providing and applying Plaster of Paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete	Sqm	489.185
12	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade: New work (two or more coats)	Sqm	415.67
13	Centering and shuttering including strutting, propping etc. and removal of form for all heights complete and as directed by Engineer in charge Lintels, beams, plinth beams, girders, bressumers and cantilevers (using steel)	Cum	14.705
14	Providing and fixing ISI marked flush door shutters conforming to IS:2202 (Part I) decorative type, core of block board construction with frame of 1stclass hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters(a) 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	Sqm	2.10
15	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS:7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:  a) W.C. pan with ISI marked white solid plastic seat and lid	Each	1
16	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:  (a) White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps	Each	1

Providing and fixing 1stquality ceramic glazed wall tiles conforming to IS:15622 (thickness to be specified by the manufacturer), of approved make, in all colours and shades of any size as approved by Engineer-in-Charge, in walls, skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete (a) Normal range	Sqm	7.80
Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS:277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia. x 50mm long with 6mm dia. bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to the ceiling section 0.5 mm thick bottomwedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia. x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5x25 mm at 230 mm c/c, including jointingand finishing to a flush finish of tapered and square edges of the board with recommended jointing compound, jointing tapes, finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with:  (c) Fully Perforated Gypsum Plaster Board of size 120	Sqm	23.895
Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade, with necessary screws etc. complete (a) 300 x 10 mm	Each	11
Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: (a) 300 x 16 mm	Each	6
Providing and fixing ISI marked aluminium butt hinges anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade with necessary screws etc. complete (c) 100 x 75 x 4 mm	Each	33
Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS:3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete	Each	6
Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour and shade, with necessary screws etc. complete (b) Twin rubber stopper	Each	7
Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:  (a) 125 mm	Each	11
Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot &cold water supply including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge External work (ii) 20 mm nominal outer diameter Pipes	Rm	20.00
Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS:13592 Type A, including jointing with seal ring conforming to IS:5382, leaving 10mm gap for thermal expansion, (i) Single socketed pipes.  (a) 75 mm diameter	Rm	30.00
Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete (b) Flexible pipe 32 mm dia. and 40mm dia.	Each	1
Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement: 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing, etc. all complete as specified and as directed by the Engineer-in-Charge	Sqm	1.125
Providing soling with stone/ best quality picked jhama brick, sand packed and laid to level and in panel after preparing the subgrade as directed including all labour and materials and if necessary dewatering, complete (b) Stone soling (i) 100mm	Sqm	75.1175
Plain cement concrete floor base in prop 1:3:6 laid in alternate bays as specified with coarse aggregate of size 13mm to 32mm including dewatering if necessary, and curing etc. complete(c) 100 mm thick in prop 1:3:6	Sqm	75.1175
	manufacturer), of approved make, in all colours and shades of any size as approved by Engineer-in-Charge, in walls, swirting, fieses of steps and dados, over 12 mm thick bed of cement morar 1.3 (I crement. 3 coarse sean) and jointing with grey coment slury (@ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete (@). Normal range Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvenized with zinc coating of 120 gms/srm (both side inclusive) as per 15.277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash statemer 12.5 mm dia. x 50mm long with 6 mm dia. boths, other flange of clear fixed to the angle hangers of 25x100.50 mm of required length with nuts 8 boths of required size and other end of angle hanger flaved with intermediate 0.1. channels 43x15x0.9 mm running at the spacing of 1200 mm centre to centre, to the ceiling with dash tapered flanges of 26 mm each having pis of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.1. intermediate channel with connecting clips made out of 2.64 mm dia. x 230 mm bing G.1. with a tevery junction, notuding fixing perimeter channels of 30 mm bing 2.1 mm and 30 mm long, the perimeter of ceiling fixed to wallipartition with the help of raw plugs at 450 mm centre, with 50mm long dry wall screws of size 3.5x25 mm at 230 mm circ, including sign jointing and finishing to a flush finish of tapered and square degas of the board with recommended jointing compound, jointing tapes, finishing with jointing compound all supers covering upto 150 mm on both sides of joint and two costs of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, gills, diffusers, cutous made with transparent to dyed to required colou	manufacturer), of approved make, in all colours and shades of any size as approved by Engineer-in-Charge, in walls, schring, risers of steps and deakor, over 12 mm thick bed of cement moral 13 (1 cement 23 ocares sand) and printing with grey cement slurry (@ 33kg per sqm, including pointing in white cement mixed with pigment of matching shade complete (@) Normal range.  Providing and fixing false ceiling at all height including providing and fixing of frame work made of special sections, power pressed from M. S. sheets and galvanized with zinc coaling of 120 gms/stm (both side inclusive) as per 152.77 and consisting of angle clasts of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange froat of the calling with dash fastener 12.5 mm dia x.5 florm long with florm dia boths, other flange of cleat fixed to the angle hangers of 25x100,50 mm of required length with nuts & boths of required size and other end of angle hanger fixed with infamediale GI. Channels \$4515x0.9 mm clans 25x15x0.9 mm clans