



North Eastern Indira Gandhi Regional Institute of Health and Medical Sciences
(An Autonomous Institute, Ministry of Health and Family Welfare, Government of India)
Director's Block, Mawdiangdiang, Shillong 793018 (Meghalaya)

Website: www.neigrihms.gov.in

Tender No: CVENGG-ESTI/67/2026-Engg(C); Dated 8th May ,2026

**TENDER /BID DOCUMENT LIMITED TENDER ARE INVITED
FROM GOVERNMENT REGISTERED CONTRACTOR FOR CIVIL
WORKS IN VARIOUS LOCATION OF OPD AREAS, NEIGRIHMS,
NEIGRIHMS**

Last Date and Time for Submission of Bid Document Offline:	14:00 hours of 13.05.2026
Date and Time of Opening of Techno -Commercial Bids:	14:30 hours of 13.05.2026
Cost of Earnest Money Deposit (EMD):	Rs. 14,180 /-

Tender document can be downloaded from the Institute's website at www.neigrihms.gov.in

In the event of the date being declared as a closed holiday, the due date for submission of bids and opening of bids will be the following working day at the appointed time.

Signature of contractor _____

Name of contractor

(In Block Letters)

Shri/Smti _____

Registration No: _____

Contact No: _____

DETAILED TENDER NOTICE

Sealed limited tenders in single bid system are invited from registered contractors of PWD/PHE/Estate office (GAD)/MES/MeECL and equivalent class of CPWD for the following work and will be received at the office of the undersigned upto 1400 hrs on 13.05.2026 and will be opened on the same date in the presence of the tenderer(s) or their authorized agent(s) at 1430 hrs.

Name of work	Estimated cost (Rs) (approx)	EMD (Rs)
Civil Works in various location of OPD Areas, NEIGRIHMS	Rs.7,08,994 /-	Rs.14,180 /-

General Conditions of Contract (GCC):

1. The Tender is a Single Bid System.
2. The Tender Reference No. & name of work is to be mentioned clearly on the envelope.
3. The site is located at Mawdiangdiang
4. Time of completion: 15 (Fifteen) days from the date of issue of commencement order.
5. EMD to be deposited in the form of FD/Call Deposit to be duly pledged in favour of NEIGRIHMS EMD Security Deposits.
6. Contractors shall be deemed to have inspected and examined the site of work and its surroundings before submitting the tenders.
7. Tenderers will have to submit attested copy of their registration.
8. The contractor shall not sub-contract the work to sub-contractors or to any single sub-contractor. An undertaking by the contractor shall have to be submitted to this effect.
9. The successful contractor shall provide a performance security for his proper performance of the contract within 7 (seven) days from the date of receipt of letter of award.
10. The performance Security shall be in the form of FD/Call Deposit to be pledged in favour of NEIGRIHMS EMD Security Deposits. In case the Performance Security is in the form of Bank Guarantee the same is to be sent to the Deputy Director (Admn), NEIGRIHMS in sealed envelope directly by the issuing Bank along with the forwarding letter indicating BG No. purposed of the BG, etc. The amount of the security shall be 5 % (five percent) of the contract price.
11. The performance security shall be valid until the contractor has executed and completed the works and remedied any defects therein in accordance with the contract.
12. The Performance security shall be returned to the contractor within 14 days from the expiry of the Defect Liability period.
13. If the contractor fails to perform the work as per terms and conditions of the contract, the performance security shall be forfeited.
14. If during the execution of the work the contractor encounters physical obstructions or physical conditions other than climatic conditions on the site, which obstructions or conditions were in his reasonable opinion not foreseeable by the contractor, the contractor shall forth with give notice thereof to the Superintending Engineer, NEIGRIHMS.
15. On receipt of such notice, the Superintending Engineer shall, in his opinion feel that such obstructions/conditions could not have been reasonably foreseen by the contractor, after due

consultation with the contractor determine any extension of time with no financial bearing to which the contractor is entitled.

16. During the execution of the works, the contractor shall keep the site reasonably free from all unnecessary obstructions and shall store or depose of any contractors equipment and surplus materials and clear from the site any wreckage, rubbish or temporary works in consultation with the Sanitary Supt of the Institute.
17. Before issue of any completion certificate, the contractor shall clear away and remove from that part of the site to which the completion certificate relates all contractors' equipment, surplus material, rubbish and temporary works of every kind.
18. The contractor while employing labour should ensure that all the statutory labour laws and regulations are adhered to.
19. In the event of
 - a. The amount or nature of extra or additional work
 - b. Exceptionally adverse climatic conditions
 - c. Other special circumstances which may occur other than through a default or breach of contract by the contractor or for which he is responsible. Being such as fairly to entitle the contractor to extension of time for completion of the works or any section or part thereof, the Institute shall after due consultation with the contractor and subject to clause 16 determine the amount of such extension with no financial bearing and shall notify the contractor accordingly.
20. Exceptionally adverse climatic conditions other special circumstances which may occur other than through a default or breach of contract by the contractor or for which he is responsible. Being such as fairly to entitle the contractor to extension of time for completion of the works or any section or part thereof, the Institute shall after due consultation with the contractor and subject to clause 15 determine the amount of such extension with no financial bearing and shall notify the contractor accordingly.
21. If the contractor fails to complete the execution and completion of the works as specified in the work order , the contractor shall be bound to pay as liquidated Damages a sum of 0.5 % (percent) per week of delay for such default subject to a maximum of 5 % of the contract price.
22. When whole of the works have been substantially completed, the contractor shall give a notice to the Superintending Engineer of the Institute, accompanied by a written undertaking to finish with due expedition any outstanding work during the defect Liability period. Such notice and undertaking shall be deemed to be a request by the contractor to Superintending Engineer to issue a taking over certificate.
23. Defect liability period shall be 12 (twelve) months calculated from the date of completion of the works certified by the Superintending Engineer in the completion certificate.
24. If the contractor fails to fulfill any of the obligations under this contract, the Institute shall be at liberty to terminate the contract thereby voiding the contract and will be at liberty to allot the whole work or balance works to any other party at the risk and cost of the first party.
25. All works are to be carried out as per current specification prevailing in the state of Meghalaya (MPWD & CPWD) and when directed by the Institute.
26. In submitting tender the registered contractor should mention registration number and class with full present address and should submit attested copy of the registration certificate.
27. All the relevant documents required to be submitted along with the tender including the EMD and the price quoted (form annexed to these conditions) should be submitted in the first envelope marked as Envelope I

28. The Envelopes should clearly indicate the name of work, name, address and contact number of the contractor. Tenders not submitted in the said format will be rejected.
29. Every page of the tender paper to be signed by the contractor as a token of acceptance of the terms and conditions before submission of tender, failing which the tender will be rejected.
30. Average Annual Financial Turnover during the last three years ending 31st March of the previous financial year should be at least 30 % of the estimated cost. Tenderer to submit Financial Statement from Chartered Accountant as per FORMAT – B.
31. Parties should have the experience of having successfully completed similar works during the last 5 (five) years ending last day of month previous to the one in which applications are invited should be either of the following: (a) Three similar completed works costing not less than the amount equal to 40% of the estimated cost or (b) Two similar completed works costing not less than the amount equal to 50 % of the estimated cost or (c) one similar completed work costing not less than the amount equal to 80 % of the estimated cost. Documentary proof in the form of completion certificates only is to be enclosed failing which the tender will be non-responsive.
32. AVAILABLE BID CAPACITY :
33. Applicants who meet the minimum qualification criteria will be qualified only if their available bid capacity at the expected time of bidding is more than the total estimated cost of the work. The available bid capacity will be calculated as under:
34. Available Bid Capacity = $(A \times N \times 2 - B)$, where: A - Maximum value of works executed in any one year during the last five years (updated to the current price level). Rate of inflation may be taken as 10% per year which will take into account the completed as well as works in progress, B – Value of work at current price level of the existing commitment and outgoing work to be completed during the period of completion of work for which are invited , N – Number of years prescribe for completion of the works for which the bid are invited is the number of years prescribed for completing the works
35. ***In the event of responsive parties quoting same rates and having same Available Bid Capacity, the Institute reserves the right to allot the work to the bidder having higher / highest credentials in terms of similar work experience, etc.***
36. Completion Certificates are to be signed by Officers not below the rank of Executive Engineers.
37. Completion Certificates should indicate the items of works executed along with the date of award of work & time of completion as per work order & actual time of completion (FORMAT –A)
38. Running payments can be made to the contractor subject to certification by the Superintending Engineer after completion of about 50 % of the work and final payment will be paid after completion of the work after due certification and satisfaction of the Superintending Engineer.
39. Parties to submit PAN Card
40. Rates once accepted will not be enhanced due to variation in the rate of materials, labour and Government taxes.
41. No tools and plants will be supplied by the Institute
42. No materials will be supplied by the Institute.
43. Contractors should clearly mention the name of work for which they are quoting for in both the Envelopes.
44. While submitting price bids, contractors should not use correction fluid. Price bids where correction fluid has been used will not be accepted.

45. The quoted rates shall be firm ,fixed and binding on the contractor irrespective of any variation in the quantities stated in the contract upto + 15 % variation of the contract value as a whole.
46. Successful Non –Tribal tenderers should submit the valid Trading license.
47. **In case of dispute:** It is agreed between the first party and the second party that all disputes, differences and claims whatsoever which shall arise at any time between the parties hereto or their respective representatives concerning this contract and all other documents in pursuance hereof as to the rights, duties, obligations or liabilities of the parties hereto respectively by virtue of this contract shall be referred to the **Director of the Institute, which shall then take a final call on the matter and will be final and binding**
48. The specifications and mode of measurement for civil works shall be in accordance with PWD/CPWD specifications unless otherwise specified and more specifically as per approved Drawing, Specification and Estimate.
49. If there is any excess payment on any item etc made to the contractor, the contractor shall not hesitate to cooperate in adjusting / deducting the same from either the running bills or final bills.
50. The Rates should be quoted by the contractor either AT PAR or ABOVE the Meghalaya PWD Scheduled of Rate for Roads and Bridges 2020 – 21 / Meghalaya PWD (Building) 2021 – 22. **Contractors are not allowed to quote BELOW PAR.**
51. The Institute reserves the right to accept or reject any or all tenders without assigning any reason thereof
52. All the above requirements are compulsory for fulfillment as part of the tenders failing which tenders will be rejected.
53. All documents, registrations should be valid as on the date of tender.
54. Govt. taxes and duty as applicable will be deducted from the bills of the contractor.
55. Parties to submit the list of technical staff with at least one experienced Junior Engineer-Civil (Diploma). Attested copy of diploma/degree certificates to be enclosed. Undertaking in the form of affidavit to be submitted.
56. The parties to furnish an affidavit on a non-judicial stamp paper that there is no police/vigilance/CBI case pending against them.
57. Tender documents can be downloaded from the Institute’s website www.neigrihms.gov.in
58. The Party shall be responsible for the safety of all its workmen/employees during the period of execution of the work. The party shall provide all safety materials, gadgets, equipments etc to all its workmen/employees to ensure their safety during execution of the work. The Institute shall not be held responsible in case of any accidents, mishaps etc to the party and its employees
59. Any delay in completion of the works beyond the stipulated date due to reasons attributable to the contractor may eventually lead to cancellation of letter of award for which the contractor is not entitled to any compensation. The cancellation of letter of award would lead to forfeiture of performance security.
60. The contractor is to register with the Labour Department for the work and the registration certificate has to be submitted, failing which the bill cannot be processed
61. If any statutory tax/deduction/recovery is notified by the State/Central Govt, the same shall be deducted from the bill of the contractors as applicable from its effective date of coming into force.
62. Filling of tender forms inside the Institute’s premise is strictly prohibited.
63. The Payment for the work done by the Contractor will be on the basis of measurement of the work executed. The Contractor or his authorized agent or representative shall be present at the

time of recording of each set of measurements and sign on the measurement book as a token of acceptance of the measurement.

64. Bidders should note that the above terms and conditions will apply specifically in addition to the rules / regulations applicable to works in the Government of India.
65. All rules of GFR will be applicable
66. Wherever relevant, water charges @ 1% on the Order value will be applicable
67. Electricity charges when used by the Contractor will be deducted from the bill as per actual usage/consumption through tested meter in consultation with Electrical Department of the Institute.
68. Forest Royalty of stone and sand shall be deducted as per latest rate of Forest Department Government of Meghalaya
69. Tenders sealed with wax; brown tape; etc only will be accepted. Stapled tenders will be rejected.

Sd/
Superintending Engineer
NEIGRIHMS

Copy to: Accounts officer for information

Check List of documents to be submitted along with the tender:

Sl No	Documents	Remarks
1	Tender Documents	
2	Earnest money Deposit	
3	Copy of registration	
4	Undertaking not to sub-let the work. (format enclosed with the tender)	
5	Pan Card.	
6	G S T certificate	
7	Valid Labour License	
8	Documentary proof of work orders, completion certificates	
9	Average Annual Financial Turnover during the last three years as per FORMAT - B	
10	Affidavit of no vigilance/police/CBI case pending against them	
11	List of technical staff with Undertaking in the form of affidavit (Degree/Diploma certificate to be enclosed)	
12	Tender papers to be signed on all pages	
13	The Envelopes should clearly indicate the name of work, name, address and contact number of the contractor	

FORM OF UNDERTAKING

To

The Superintending Engineer
NEIGRIHMS

Sub: Civil Works in various location of OPD Areas, NEIGRIHMS

Sir,

With reference to the above, I hereby undertake not to sublet the work cited above, if the work is allotted to me.

Date:

*Name of contractor	
*Full postal Address	
*Email Address	
*Mobile No	
*Alternate Mobile No	
*Signature and Seal	

All the fields marked * above are mandatory to be furnished by the contractor

FORMAT - A.

Name of Contractor: -
Name of work completed: -
Agreement No: -
Name of Division in which work was executed: -
Tender Cost: -
Stipulated date of Start (as per w/o):-
Stipulated date of Completion (as per w/o):-
Actual date of Completion: -

Signature of Contractor

**Signature of Officer issuing the C/Certificate

** (Officer should not be lower than the rank of Executive Engineer – Civil)

FINANCIAL STATEMENT

SL NO	FINANCIAL PERIOD	AMOUNTS IN LAKHS
1.	2022 - 2023	
2.	2023 - 2024	
3.	2024 - 2025	

SIGNATURE OF
CONTRACTOR
ACCOUNTANT

SIGNATURE OF
CHARTERED

Before The Magistrate First Class In Shillong

AFFIDAVIT

I, Shri _____, son of Shri _____, aged about _____, resident of _____

_____ do hereby solemnly affirm and declare on oath as follows:-

That I am a bonafide citizen of India and a permanent of the above – mentioned address.

That I am a registered contractor, with _____ vide Reg. No. _____.

That there is no police / vigilance/ CBI case pending against me/ firm.

That I have not been blacklisted in the past by any Government or Private Organization.

That the instant affidavit is sworn in for the purpose of giving a declaration of the aforesaid facts and for all other purpose and intents.

That the statements made herein above are true to the best of my knowledge, belief and information.

DEPONENT

Solemnly affirmed and declared before me the Deponent above named who is identified by _____ Advocate, Shillong on this the _____ at Shillong.

Identified by:

**MAGISTRATE FIRST CLASS
SHILLONG
(Advocate, Shillong)**

Price Bid:

Name of the Work: - Civil Works in various location of OPD Areas, NEIGRIHMS

Sl no	Description	Unit	Quantity	Rate to be quoted by the contractor AT PAR / ABOVE the MPWD SOR for Roads and Bridges 2020 – 21 /MPWD (Building) 2021 - 22
1	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	Sqm	35.05	
2	15 mm cement plaster on the rough side of single or half brick wall of mix: a)1:4 (1 cement: 4 fine sand)	Sqm	35.05	
3	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS:15622 (thickness to be specified by the manufacturer), of approved make, in all colours and shades of any size as approved by Engineer-in-Charge, in walls, skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. a)Normal range	Sqm	35.05	
4	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS:15622(thickness to be specified by the manufacturer) of approved make in all colours and shades of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry@ 3.3kg/sqm including pointing in white cement mixed with pigment of matching shade complete.	Sqm	30.25	
5	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber/ neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge: c)With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	Sqm	11.10	
6	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: a)125 mm	Each	30.00	
7	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS:1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: a)300x16 mm	Each	20.00	
8	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.	Each	30.00	

	b)Twin rubber stopper			
9	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS:3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	Each	10.00	
10	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: b)250x10 mm	Each	30.00	
11	Providing and fixing false ceiling at all heights with integral densified calcium silicate reinforced with fibre and natural filler false ceiling tiles of size 595x595mm of approved texture, design and patterns having NRC (Noise Reduction coefficient) of 0.50 (minimum) as per IS:8225:1987, Light reflectance of 85% (minimum). Non-combustible as per BS:476 (part-4), fire performance as per BS:476 (part 6 &7), humidity resistance of 100%, thermal conductivity <0.043 W/m K as per ASTM 518:1991,in true horizontal level suspended on inter-locking metal T-Grid of hot dipped galvanised iron section of 0.33 mm thick (galvanized @ 120 gms/sqm including both sides) comprising of main- T runners of size 24x38 mm of length 3000 mm, cross - T of size 24x32 mm of length 1200 mm and secondary intermediate cross-T of size 24x32 mm of length 600mm to form grid module of size 600x600 mm, suspended from ceiling using galvanised mild steel items (galvanizing @ 80 gm/sqm) i.e. 50 mm long, 8 mm outer diameter M-6 dash fasteners, 6 mm dia. fully threaded hanger rod upto 1000 mm length and L-shape level adjuster of size 85x25x25x2 mm. Galvanised iron perimeter wall angle of size 24x24x0.40 mm of length 3000 mm to be fixed on periphery wall/ partition with the help of plastic rawl plugs at 450 mm centre to centre and 40 mm long dry wall S.S screws. The work shall be carried out as per specifications, drawing and as per directions of the Engineer-in-Charge. With 15 mm thick tegular edged light weight calcium silicate false ceiling tiles.	Sqm	133.00	
12	Dismantling cement asbestos ceiling/ hard board ceiling/ any type ceiling or partition walls including stacking of serviceable materials and disposal of unserviceable materials within 50 metres lead.	Sqm	66.42	
13	Providing and fixing GI Clip in Metal Ceiling System of 600x600 mm module which includes providing and fixing 'C' wall angle of size 20x30x20 mm made of 0.5 mm thick pre painted steel along the perimeter of the room with help of nylon sleeves and wooden screws at 300 mm centre to centre, suspending the main C carrier of size 10x38x10 mm made of G.I steel 0.7 mm thick from the soffit with help of soffit cleat 37x27x25x1.6 mm, rawl plugs of size 38x12 mm and C carrier suspension clip and main carrier	Sqm	66.42	

	<p>bracket at 1000 mm c/c. Inverted triangle shaped Spring Tee having height of 24 mm and width of 34 mm made of GI steel 0.45 mm thick is then fixed to the main C carrier and in direction perpendicular to it at 600 mm centres with the help of suspension brackets. Wherever the main C carrier and spring T have to join, C carrier and spring T connectors have to be used. All sections to be galvanized @ 120 gms/sqm (both sides inclusive), fixing with clip in tiles into spring T with:</p> <p>b)GI Metal Ceiling Clip in plain Bevelled edge global white colour tiles of size 600x600 and 0.5 mm thick with 25 mm height, made of G I sheet having galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia. holes and having NRC of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation.</p>			
14	<p>Surface preparation:</p> <p>a)Removing existing white or colour wash on wall surfaces by steel wire brushing and/ or scraping, sand papering and preparing the surface smooth including necessary repairs to scratches complete.</p>	Sqm	166.20	
15	<p>Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade: Old work (one or more coats)</p>	Sqm	332.4	
16	<p>Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS:7231, with all fittings and fixtures complete.</p> <p>a)10 litre capacity - White</p>	Each	25	
17	<p>Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete:</p> <p>a)White solid plastic seat with lid</p>	Each	25	
18	<p>Providing and fixing PTMT grating of approved quality and colour.</p> <p>a)Circular type (ii)125 mm nominal diameter with 25 mm waste hole</p>	Each	24	
19	<p>Providing and fixing PTMT soap Dish Holder having length of 138mm, breadth 102mm, height of 75mm with concealed fitting arrangements, weighing not less than 106 gms.</p>	Each	24	
20	<p>Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing:</p> <p>b)Rectangular shape 453x357 mm</p>	Each	24	
21	<p>Providing and fixing wash basin with C.I. brackets, 15 mm dia. CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer</p>	Each	25	
22	<p>Providing and fixing PTMT Waste Coupling for wash basin and sink, of approved quality and colour.</p>	Each	25	

23	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 a)15mm nominal bore	Each	20	
24	Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts, collar and bush of approved quality and colour. b)15 mm nominal bore with 45 cm length	Each	20	
25	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. b)Flexible pipe 32 mm dia.and 40mm dia.	Each	30	
26	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms. a)15 mm nominal bore	Each	20	
	Total in Rupees & In words			

Name of the Contractor: -

Signature: -